



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

ISSUE NUMBER	
ORIGINAL	

(1)






NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C




 $\label{eq:signal_contact_current rating: 5A per contact} \\ \mbox{Signal_contact_resistance: 10m} Ω MAX. \\ \mbox{Insulator resistance: 5000M} Ω min. \\ \mbox{Dielectric} \\ \mbox{Withstanding voltage: 1000V AC rms} \\ \mbox{Ac rms} \\ \mbox{Insulator resistance: 5000V AC rms} \\ \mbox{$



COMBIN	TION D-SUB	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
EDAC IN	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-36W	4624-7N2	ISSUE	
YOUR CONNECTION TO QUALITY & SEI	VICE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 627-36W	4624-7N2	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female





(1)

21W4 Male/Female




627-36W4624-7N2


47.05 	÷			33.42 1.565 1.565 1.59 1.5			Bere
			11W1	I Male/Female	27W2 Male/Femal	le	
47.05 23.03 14.48 14.48 93.28 0.358 0.358 0.358	8W8 Fem	$ \begin{array}{c} $		33.30 16.65 9.70 8.31 9.70		33.50 31.75 2 + + + + + + + + + + + + + + + + + + +	
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	61 ØA		17W2	2 Male/Female	21W1 Male/Femal	47.05	æ
		COMBINA		I D-SUB	SW REFERENCE NO.: 627 C DRAWN: C.B	COMBO ASSEMBLY	119
					CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO				THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.				ARIO SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-36W	4624-7N2	ISSUE
		YOUR CONNECTION TO QUALITY & SER	VICE	MANUFACTURE OR SALE OF APPARATUS	PART NUMBER: 627-36W	4624-7N2	1

5W5 Male

5W5 Female



8W8 Male



WITHOUT WRITTEN PERMISSION.

т 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male



47.00 23.53 23.53 47.00 9.70 14.51 9.32 14.51 9.32 14.51 9.70 14.51 9.70 14.51 9.70 14.51 9.70 9.



36W4 Female



13W3 Male





51.00 30.50 13.72 16.62 5.74 15.24 1





13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











			SW REFERENCE NO.: 627 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 627-36W4624-7N2		ISSUE
			PART NUMBER: 627-36W	4624-7N2	1