ASSOCIATION CONNECTING LECTRONICS INDUSTRIES	annockburn, Illinois. A	ll rights reserved un ntions.	nder both	This docume level parts, t	ent is a declarat he declaration of	ion of the su encompasses	bstances v all lower	vithin the manufactur level materials for w	er listed i hich the n	tem. Note: i nanufacture	f the item is an as r has engineering	ssembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Ty http://www.ipc.org/IPC-175x Distribut			⁴ Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Material					als and M	als and Mfg Information			
Supplier Information													
Company name* Company unique ID			Unique II			e ID Authority			Response Date*				
nsemi									2023-06-08				
tact Name Title - Contact				1	Phone - Contact*				Email - Contact*				
oduct-Env-Stewards Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
uthorized Representative* Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env-Stewards Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Requester Item Number N	Ifr Item Number	Mfr Item Name			Effective Date	Version	М	Manufacturing Site		Weight*	UOM	Unit Type	
N	CV4279BDWR2G	V4279BDWR2G ANA 5.0V MICR			2023-06-08 PH1		H1	:	517.71	mg	Each		
Manufacturing Proccess Information							·		·				
Terminal Plating / Grid Array Material	rminal Plating / Grid Array Material Terminal Base Alloy		-STD-020 MSL	Rating	Peak Proc	ess Body Te	emperature	Max Time at Peak	Temperat	ure Numb	per of Reflow Cyd	cles	
Matte Tin (Sn) - annealed CU Alloy		3		260		С	30	secon	ds 3				
Comments													
ATTENTION: MSL 3 Rated item requires Bak	e and Dry Pack (after	electrical test)											
For more information regarding material comp	osition please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibisobutyl phthalate (DIBP).									
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted					
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all					
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the					
Supplier Digital Signature Ra	stislav Drska	Le								

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
0		Unit of Measure				Exempt		Unit of Measure
Die	9.33	mg	Supplier	Silicon (Si)	7440-21-3		9.33	mg
Die Attach	20.68	mg	Supplier	Silver (Ag)	7440-22-4		15.51	mg
			Supplier	Epoxy resins	129915-35-1		5.17	mg
Lead Frame	323.98	mg	Supplier	Silver (Ag)	7440-22-4		3.2398	mg
			Supplier	Zinc (Zn)	7440-66-6		0.648	mg
			Supplier	Iron (Fe)	7439-89-6		8.4235	mg
			Supplier	Copper (Cu)	7440-50-8		311.6688	mg
Mold Compound-Black	158.46	mg		Brominated epoxy resin	proprietary data		2.3769	mg
			Supplier	Phenolic Resin	Proprietary Data		13.1522	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		4.7538	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		111.7143	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		26.4628	mg
Plating	4.79	mg	Supplier	Tin (Sn)	7440-31-5		4.79	mg
Wire Bond - Au	0.47	mg	Supplier	Gold (Au)	7440-57-5		0.47	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3