	Material Composit © Copyright 2005. IPC, I nternational and Pan-Am	Bannockbi	urn, Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a decla he declaratio	aration on enco	of the subsompasses a	stances 11 lower	vithin the level mate	manufactur erials for w	rer listed i hich the r	item. N nanufa	lote: if th cturer ha	ne item is an as as engineering	ssembly with lower responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form T http://www.ipc.org/IPC-175x Distrib				Form Type Distribute	e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mate					ous Materi	ials and Mfg Information					
Supplier Informati	ion																
Company name*			Company unique ID			Unique ID Authority						Response Date*					
onsemi												2023-06	2023-06-08				
Contact Name	Title - Contact]	Phone - Contact*					Email - Contact*							
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com					
Authorized Representative*			Title - Representative			Phone - Representative*					Email - Representative*						
Product-Env-Stewards			Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com						
Requester Ite	Requester Item Number Mfr Item Nu NLX2G06C		Number Mfr Item Name				Effective Date Version Manufacturing Si 2023-06-08		ing Site		Weigh	ıt*	UOM	Unit Type			
			6CMUTCG	CG DUAL INVERTER OPEN DRAIN						1.41			mg	Each			
Aanufacturing Pro	occess Information			1												•	1
Terminal Plat	Terminal Plating / Grid Array Material		Cerminal Base Alloy J-S		J-STD-020 MS	L Rating	Peak P	eak Process Body Temperatu		peratur	are Max Time at Peak T		Tempera	ture	Number	of Reflow Cyc	cles
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			CU Alloy 1		1		260		С		30		seconds 3		3		
Comments									<u>.</u>								
vel 1 - maximum time	at peak temperature d	uring sole	dering is 10-3	0 seconds													
or more information r	egarding material com	position p	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.06	mg	Supplier	Silicon (Si)	7440-21-3		0.06	mg		
Die Attach	0.01	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.0032	mg		
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0068	mg		
Lead Frame	0.49	mg	Supplier	Tin (Sn)	7440-31-5		0.0012	mg		
			Supplier	Zinc (Zn)	7440-66-6		0.0011	mg		
			Supplier	Chromium (Cr)	7440-47-3		0.0012	mg		
			Supplier	Copper (Cu)	7440-50-8		0.4865	mg		
Mold Compound-Black	0.81	mg		Epoxy Phenol Resin	proprietary data		0.085	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		0.725	mg		
Plating	0.01	mg	Supplier	Palladium (Pd)	7440-05-3		0.0002	mg		
			В	Nickel (Ni)	7440-02-0		0.0088	mg		
			Supplier	Gold (Au)	7440-57-5		0.001	mg		
Wire Bond - Au	0.03	mg	Supplier	Gold (Au)	7440-57-5		0.03	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).