	ounting Option Line Card Guides	Contact Detail Wire Wrap .046x.013(1.17x0.33) - Tail LG=.520(13.21) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing		THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.		ISSUE NUMBER ORIGINAL (1
0.500[12.70]	0.156[3.96]	7.028 [178.51] ————————————————————————————————————			SEC	TION A-A
	A					
					'   ]	
0.473[12.01]	A				75 [4.45] Point of Contact	
	Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board					
0.4						
	See Assembly in a Degree for the	907 / 337 Card Eage Connector  Part Number: 357-044-447-178			ACAD REFERENCE NO.	307 ENG MASTER
					DRAWN: J.LEE CHECKED:	DATE: AUG. 11/09
See Accompanying Pages for:  • Contact Bend Details		for:				DATE: SHEET 1 OF 3
	Mounting Options	TORONTO,	ONITA DIO	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED	SCALE: NTS  DRAWING NUMBER	ISSUE
			CANADA  YOUR CONNECTION TO QUALITY & SERVICE  OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPA WITHOUT WRITTEN PERMISSION.		307 Assembly	



