


6.10



NOTES:

.X ±0.25

±0.13 .XXX ±0.05

.XX

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 5µ GOLD PLATING

OPERATING TEMPERATURE:

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE:


SW REFERENCE NO .: 627 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS OF SCALE: (IN C.A.D. 1:1) SHEET 1 4 EDAC INC ARE THE PROPERTY OF EDAC INC..AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 627W2W2-124-1ND ISSUE DRAWING NUMBER: OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS 1 YOUR CONNECTION TO QUALITY & SERVICE PART NUMBER: 627W2W2-124-1ND WITHOUT WRITTEN PERMISSION.




THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



1000V AC rms



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2/2WK2


3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female




27W2 Male/Female




21W1 Male/Female

16.62


-	47.05	F	<u>31.75</u> 22.83	22.97		
₽		↓ ∲		→	en ann	-
					17W2	2 Male/Fema
CURRENT RATING / ØA						
	10A / 2.2					+
	20A / 3.3					23.63
	30A / 3.7				1 1	1
	40A / 4.2				ł	,φ.φ, ∔
				C	COMBINATION	D-SUB
2	THIS SERIES FULLY CONFORMS TO				EDAC INC	THESE DRAWI
ןכ	THE EUROPEAN UNION DIRECTIVES				ORONTO, ONTARIO CANADA	SHALL NOT BE OR USED AS T
T	2011/65/EU FOR RoHS COMPLIANCY.		YOUR CONNE	ECTION TO Q	UALITY & SERVICE	MANUFACTUR WITHOUT WRI






V2 Male/Female

11W1 Male/Female






	SW REFERENCE NO.: 627 C	OMBO ASSEMBLY		
D-SUB	DRAWN: C.B	DATE: JAN. 01/2019		
	CHECKED:	DATE:		
HESE DRAWINGS AND SPECIFICATIONS IRE THE PROPERTY OF EDAC INC.,AND HALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS VITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 3 OF 4		
	DRAWING NUMBER: 627W2W2	2-124-1ND ISSUE		
	PART NUMBER: 627W2W2	2-124-1ND 1		


5W5 Male

5W5 Female

COMPLIAN



8W8 Female



31.75

22.97








63.50





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male



47.00

23.53







36W4 Female





13W3 Male


3

3












13W6 Male



43W2 Male




13W6 Female






47W1 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
				DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 627W2W2-124-1ND		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W2W	2-124-1ND	1





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female