

Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400

eiSos@we-online.de · www.we-online.de



Product / Process Change Notification (PCN)

- Major change
 Minor change

PCN #: PCN_FeSTAR-FLAT_20181101

Affected Series: 7427246x; 7427247x; 7427248x
74272475x; 74272485x

PCN Date: August 01, 2018

Effective Date: November 01, 2018

Change Category:

- Equipment / Location
 General Data
 Material
 Process
 Product Design
 Shipping / Packaging
 Supplier

Contact: Product Management

Phone: +49 (0) 7942 - 945 5001

Fax: +49 (0) 7942 - 945 5179

E-Mail: pcn.eisos@we-online.com

Data Sheet Change:

- Yes No

Attachment:

- Yes No

DESCRIPTION AND PURPOSE OF CHANGE:

In order to improve the transportation and handling safety, Würth Elektronik will change the packaging and standard packaging quantity by implementing a new tray design.

All products with date code 2018-10-01 or later, will be affected by this packaging change.

Würth Elektronik eiSos GmbH & Co. KG
EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany
Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400
eiSos@we-online.de · www.we-online.de



DETAIL OF CHANGE:

The tray changes in the design and in the size from a cardboard to a paper mould tray. Due to this change, the packaging size and standard packaging quantity will change as detailed in the table below. The carton box material will remain double wall corrugated cardboard.

7427246x		Unit	New Packaging	Old Packaging
Carton Packaging Quantity	(CPQ)	pcs	126	120
Standard Packaging Quantity	(SPQ)	pcs	18	12
Number of trays		pcs	7	10
Moisture Impermeable Bag	(MIB)		Yes	Yes
Dimensions of the carton	(LxWxH)	mm	400 x 300 x 165	325 x 220 x 160
Dimensions of the tray	(LxWxH)	mm	370 x 280 x 12	315 x 215 x 2
Weight of a CPQ		g	10600	10200
Weight of a SPQ		g	1500	1000

7427247x		Unit	New Packaging	Old Packaging
Carton Packaging Quantity	(CPQ)	pcs	84	80
Standard Packaging Quantity	(SPQ)	pcs	12	8
Number of trays		pcs	7	10
Moisture Impermeable Bag	(MIB)		Yes	Yes
Dimensions of the carton	(LxWxH)	mm	400 x 300 x 165	325 x 220 x 160
Dimensions of the tray	(LxWxH)	mm	370 x 280 x 12	315 x 215 x 2
Weight of a CPQ		g	11700	11300
Weight of a SPQ		g	1650	1110

74272475x		Unit	New Packaging	Old Packaging
Carton Packaging Quantity	(CPQ)	pcs	84	120
Standard Packaging Quantity	(SPQ)	pcs	12	12
Number of trays		pcs	7	10
Moisture Impermeable Bag	(MIB)		Yes	Yes
Dimensions of the carton	(LxWxH)	mm	400 x 300 x 165	325 x 220 x 160
Dimensions of the tray	(LxWxH)	mm	370 x 280 x 12	315 x 215 x 2
Weight of a CPQ		g	6800	9300
Weight of a SPQ		g	920	915

Würth Elektronik eiSos GmbH & Co. KG
EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany
Tel. +49(0)79 42 945-0 · Fax +49(0)79 42 945-400
eiSos@we-online.de · www.we-online.de



7427248x		Unit	New Packaging	Old Packaging
Carton Packaging Quantity	(CPQ)	pcs	84	100
Standard Packaging Quantity	(SPQ)	pcs	12	10
Number of trays		pcs	7	10
Moisture Impermeable Bag	(MIB)		Yes	Yes
Dimensions of the carton	(LxWxH)	mm	400 x 300 x 165	325 x 220 x 160
Dimensions of the tray	(LxWxH)	mm	370 x 280 x 12	315 x 215 x 2
Weight of a CPQ		g	10000	11700
Weight of a SPQ		g	1380	1150

74272485x		Unit	New Packaging	Old Packaging
Carton Packaging Quantity	(CPQ)	pcs	84	160
Standard Packaging Quantity	(SPQ)	pcs	12	16
Number of trays		pcs	7	10
Moisture Impermeable Bag	(MIB)		Yes	Yes
Dimensions of the carton	(LxWxH)	mm	400 x 300 x 165	325 x 220 x 160
Dimensions of the tray	(LxWxH)	mm	370 x 280 x 12	315 x 215 x 2
Weight of a CPQ		g	5700	10300
Weight of a SPQ		g	770	1000

New Packaging:



RELIABILITY / QUALIFICATION SUMMARY:

1. Drop test according to DIN EN 22248 "Packaging; complete, filled transport packages; vertical impact test by dropping (ISO 2248:1985)" has been done.