Mounting Option M3-0.5 Metric Threaded Inserts **Contact Detail**

90 Degree Bend (Code 441 Contacts)

.156 [3.96] Contact Spacing x .200 [5.08] Row Spacing


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

0.343 [8.71] —0.156[[]3.96] 4.064[103.23] --4.210[106.93]-

-4.496[114.20]-



SECTION A-A

.175 [4.45] Point of Contact (FROM BTM OF SLOT) Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board

Part Number: 357-025-457-107 **See Accompanying Pages for:**

Contact Bend Details

Mounting Options

YOUR CONNECTION TO QUALITY & SERVICE

EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO. 307 ENG MASTER DRAWN: J.LEE DATE: AUG. 11/09 CHECKED: DATE: OF 3 SCALE: SHEET 1 DRAWING NUMBER **ISSUE** 307 Assembly



