| ABBOCIATION CONNECTING<br>ELECTRONICS WOUSTRIES®<br>International and Pan-Ameri | nockburn, Illinois. A  | All rights reserved u ntions. | inder both    | This docume<br>level parts, th | ent is a declaration  | ation of the s                | substances<br>es all lower | within the ma<br>level materi | anufacture<br>als for whi | r listed iten<br>ch the mar     | n. Note: if<br>ufacturer      | the item is an as has engineering | sembly with lower responsibility. |  |
|---|--|-------------------------------|---------------|--------------------------------|---|-------------------------------|----------------------------|-------------------------------|---------------------------|---------------------------------|-------------------------------|-----------------------------------|-----------------------------------|--|
|   | IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute |                               |               |                                | Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Mater |                               |                            |                               |                           | als and Mfg Information         |                               |                                   |                                   |  |
| Supplier Information  |  |                               |               |                                |   |                               |                            |                               |                           |                                 |                               |                                   |                                   |  |
| Company name* Company unique I  |  |                               | Jue ID Uniqu  |                                |   | Unique ID Authority           |                            |                               |                           |                                 | Response Date*                |                                   |                                   |  |
| onsemi  |  |                               |               |                                | 2023-06-08  |                               |                            |                               |                           |                                 |                               |                                   |                                   |  |
| Contact Name Title - Contact  |  |                               |               | I                              | Phone - Contact*  |                               |                            |                               | ]                         | Email - Contact*                |                               |                                   |                                   |  |
| Product-Env-Stewards Product Enviro Compliance                                  |  |                               |               | NA                             |   |                               |                            |                               |                           | Product-Env-Stewards@onsemi.com |                               |                                   |                                   |  |
| uthorized Representative* Title - Representative                                |  |                               |               | Phone - Representative*        |   |                               |                            |                               | ]                         | Email - Representative*         |                               |                                   |                                   |  |
| Product-Env-Stewards  | Product Envi   | roduct Enviro Compliance      |               |                                | NA  |                               |                            |                               |                           | Product-Env-Stewards@onsemi.com |                               |                                   |                                   |  |
| Requester Item Number M   | r Item Number  | Mfr Item Name                 |               |                                | Effective Da  | te Version                    | n N                        | Manufacturing Site            |                           | We                              | ight*                         | UOM                               | Unit Type                         |  |
| NO  | CP752BMX33TCG 200 mA LDO, U<br>Noise, PG delay   |                               |               | a-Low                          | 2023-06-08  |                               | N                          | MY1                           |                           | 3.6                             | 4                             | mg                                | Each                              |  |
| Manufacturing Proccess Information  |  |                               |               |                                |   |                               |                            |                               |                           |                                 |                               |                                   |                                   |  |
| Terminal Plating / Grid Array Material  | Terminal Base  | Alloy J                       | J-STD-020 MSL | TD-020 MSL Rating              |   | Peak Process Body Temperature |                            | e Max Time                    | e at Peak T               | emperature                      | ature Number of Reflow Cycles |                                   |                                   |  |
| Precious metal (e.g. Ag,Au, NiPdAu) (<br>Sn)                                    | Precious metal (e.g. Ag,Au, NiPdAu) (no Sn) CU Alloy   |                               | 1             |                                |   | <b>260</b> C                  |                            | 30                            |                           | seconds 3                       |                               |                                   |                                   |  |
| Comments  |  |                               |               |                                |   |                               |                            |                               |                           |                                 |                               |                                   |                                   |  |
| evel 1 - maximum time at peak temperature dur                                   | ng soldering is 10-3   | 0 seconds                     |               |                                |   |                               |                            |                               |                           |                                 |                               |                                   |                                   |  |
| For more information regarding material compo                                   | sition please refer to   | page 3                        |               |                                |   |                               |                            |                               |                           |                                 |                               |                                   |                                   |  |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *                              | Detailed  |  |  |  |  |  |  |
|--|--|--|---|---|---|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP). |  |   |   |   |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>y others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the   | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and cc<br>for issues that arise regarding inform | ce of its products with European Union membe    | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa  | ances per the definitio  | on above  | Supplier Acceptance                             | * Accepted  |  |  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per   | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |  |   |   |   |  |  |  |  |  |  |
| Declaration Signature  |  |  |   |   |   |  |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester  | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital | lly sign the declaration (if required by the  |  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska  | Le   |   |   |   |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| Homogeneous Material | Weight | Unit of Measure | Level    | Substance  | CAS              | Exempt | Weight | Unit of Measure |
|----------------------|--------|-----------------|----------|--|------------------|--------|--------|-----------------|
| Die                  | 0.25   | mg              | Supplier | Silicon (Si)   | 7440-21-3        |        | 0.25   | mg              |
| Die Attach           | 0.18   | mg              | Supplier | Epoxized Condensate Of Para-<br>Hydrobenzaldehyde And Alkyl Phenol | 129915-35-1      |        | 0.108  | mg              |
|                      |        |                 | Supplier | Aluminum Trioxide (Al2O3)  | 1344-28-1        |        | 0.072  | mg              |
| Lead Frame           | 1.9    | mg              | Supplier | Tin (Sn)   | 7440-31-5        |        | 0.0047 | mg              |
|                      |        |                 | Supplier | Zinc (Zn)  | 7440-66-6        |        | 0.0042 | mg              |
|                      |        |                 | Supplier | Chromium (Cr)  | 7440-47-3        |        | 0.0047 | mg              |
|                      |        |                 | Supplier | Copper (Cu)  | 7440-50-8        |        | 1.8863 | mg              |
| Mold Compound-Black  | 1.27   | mg              |          | Epoxy resin  | proprietary data |        | 0.0889 | mg              |
|                      |        |                 | Supplier | Phenolic Resin   | Proprietary Data |        | 0.0889 | mg              |
|                      |        |                 | Supplier | Silica Amorphous (SiO2)  | 7631-86-9        |        | 0.1905 | mg              |
|                      |        |                 | Supplier | Carbon Black (C)   | 1333-86-4        |        | 0.0063 | mg              |
|                      |        |                 | Supplier | Fused Silica (SiO2)  | 60676-86-0       |        | 0.8953 | mg              |
| Plating              | 0.03   | mg              | Supplier | Palladium (Pd)   | 7440-05-3        |        | 0.0007 | mg              |
|                      |        |                 | В        | Nickel (Ni)  | 7440-02-0        |        | 0.0264 | mg              |
|                      |        |                 | Supplier | Gold (Au)  | 7440-57-5        |        | 0.0028 | mg              |
| Wire Bond - Au       | 0.01   | mg              | Supplier | Gold (Au)  | 7440-57-5        |        | 0.01   | mg              |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).