


## Specification Sheet

Part Number: 166-90448



Polyester elastomer washer provides ingress protection against moisture and is oil resistant.

Small "pips" in bore retain washer onto metric threaded fittings.

Ribs on both sides of washer enhances sealing performance.

HelaGuard Accessories, Sealing Washer, M25-3/4", Polyester Elastomer, Blue, 10/pkg

**Article Number** 166-90448

**Type** RSW075

**Color** Blue (BU)

**Quantity Per** pack

**Product Description** Face sealing washer affixed between metric threaded fitting and entry wall surface to achieve IP66, IP67, IP68 and IP69 levels of ingress protection. Hardness 33 Shore D. Self-extinguishing and halogen free.

**Short Description** HelaGuard Accessories, Sealing Washer, M25-3/4", Polyester Elastomer, Blue, 10/pkg

**Global Part Name** RSW075-TPE-BU

**Technical Description** Manufacturer Reference Number: RSW25-BU

**Variant** Seal Washer

**Thickness T (Imperial)** 0.06

**Thickness T (Metric)** 1.6

**Inner Diameter D (Imperial)** 0.98

**Inner Diameter D (Metric)** 25.0

**Outside Diameter OD (Imperial)** 1.34

**Outside Diameter OD (Metric)** 34.0

**Nominal Diameter (Imperial)** 0.75

**Nominal Diameter (Metric)** 25.0

**Material** Thermoplastic Elastomer (TPE)

**Material Shortcut** TPE

**Operating Temperature** -58°F to +275°F (-50°C to +135°C)

**Package Quantity (Imperial)** 10

**Package Quantity (Metric)** 10

**Customs Number** 3926904500