
TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





(1)

ORIGINAL





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING




.X ±0.25 .XX ±0.13

.XXX ±0.05

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




				SW REFERENCE NO.: 630 COMBO ASSEMBLY					
CO				DRAWN: C.B		DATE: JAN. 01/2019		19	
			CHECKED:		DATE:				
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE:	(IN C.A.D. 1:1)		SHEET	1	OF	4
	ORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-21W4240-21			240-2N1			ISSUE
YOUR CONNECTION TO QU	ALITY & SERVICE		PART NUM	1BER: 63	30-21W4	240-2N1			1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.








THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



24W7 Male/Female








7W2 Male/Female


5W1 Male/Female




**ISSUE NUMBER** 

 $\overline{(1)}$ 


21W4 Male/Female



27W2 Male/Female



21W1 Male/Female




	Tł
<b>CRAU</b>	Т
COMPLIANT	20

HIS SERIES FULLY CONFORMS TO HE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.


	SW REFERENCE NO.: 630 COMBO ASSEMBLY						
COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019					
	CHECKED:		DATE:				
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S		SHEET 3	OF	4	
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER:	630-21W4	4240-2N1		ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	630-21W4	4240-2N1		1	


5W5 Male

2W2 / 2WK2




3W3 / 3WK3







11W1 Male/Female



17W2 Male/Female




5W5 Female




8W8 Female

CURRENT RATING / ØA


10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 8W8 Male



PCB EDGE








THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.

















13W3 Male






25W3 Male








31.75

36W4 Female



13W6 Male





0.50

2.77

22,16


20.78



13W3 Female

.X ±0.25 .XX ±0.13 .XXX ±0.05

## 43W2 Female






COMPLIANT

















		SW REFERENCE NO.: 630 COMBO ASSEMBLY			
	COMBINATION	COMBINATION D-SUB DRAWN: C.B		DATE: JAN. 01/2019	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 630-21W	4240-2N1	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-21W	NUMBER: 630-21W4240-2N1	







20.70

13.72

PCB EDGE





24.77

PCB EDGE