



Data sheet | Item number: 806-911

THT male header; straight; Pin spacing 5 mm; 11-pole; black

www.wago.com/806-911



Data

Connection data

Number of levels 1

Connection 1

Pole number 11

Physical data

Pin spacing	5 mm / 0.197 inches
Width	54.8 mm / 2.157 inches
Height	12 mm / 0.472 inches
Depth	2.7 mm / 0.106 inches
Solder pin length	3.4 mm
Solder pin diameter	1 mm

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Drilled hole diameter with tolerance	1.3 ^(+0.05) mm
--------------------------------------	---------------------------

Mechanical Data

Suitable	Pin spacing: 5 mm / 0.197 inch
----------	--------------------------------

Plug-in connection

Contact type (pluggable connector)	Male connector/plug
------------------------------------	---------------------

Connector (connection type)	for PCB
-----------------------------	---------

Mating direction to the PCB	90 °
-----------------------------	------

PCB contact

PCB contact	THT
-------------	-----

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	----------------------------------------------------------

Color	black
-------	-------

Insulation material	Polyamide (PA46)
---------------------	------------------

Flammability class per UL94	V2
-----------------------------	----

Weight	9.2 g
--------	-------

Commercial data

Product Group	4 (Printed Circuit Connectors)
---------------	--------------------------------

eCl@ss 10.0	27-14-11-92
-------------	-------------

eCl@ss 9.0	27-14-11-92
------------	-------------

ETIM 8.0	EC002848
----------	----------

ETIM 7.0	EC002848
----------	----------

PU (SPU)	100 pcs
----------	---------

Packaging type	box
----------------	-----

Country of origin	DE
-------------------	----

GTIN	4044918429245
------	---------------

Customs tariff number	85369010000
-----------------------	-------------

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!

Counterpart



Item no.806-111

2-conductor female connector; 1.5 mm²; Pin spacing 5 mm; 11-pole; 1,50 mm²; gray

www.wago.com/806-111



Item no.806-211

2-conductor female connector; 1.5 mm²; Pin spacing 5 mm; 11-pole; 1,50 mm²; gray

www.wago.com/806-211

Downloads

Documentation

Additional Information

Technical Section	2019 Apr 3	pdf	Download
Technical explanations		2.0 MB	

CAD/CAE-Data

CAE data

EPLAN Data Portal 806-911	URL	Download
---------------------------	-----	----------

PCB Design

Symbol and Footprint 806-911	URL	Download
------------------------------	-----	----------

CAX data for your PCB design, consisting of "schematic symbols and PCB footprints", allow easy integration of the WAGO component into your development environment.

Supported formats:

- Accel EDA 14 & 15
- Altium 6 to current version
- Cadence Allegro
- DesignSpark
- Eagle Libraries
- KiCad
- Mentor Graphics BoardStation
- Mentor Graphics Design Architect
- Mentor Graphics Design Expedition 99 and 2000
- OrCAD 9.X PCB and Capture

Subject to changes. Please also observe the further product documentation!



- PADS PowerPCB 3, 3.5, 4.X, and 5.X
- PADS PowerPCB and PowerLogic 3.0
- PCAD 2000, 2001, 2002, 2004, and 2006
- Pulsonix 8.5 or newer
- STL
- 3D STEP
- TARGET 3001!
- View Logic ViewDraw
- Quadcept
- Zuken CadStar 3 and 4
- Zuken CR-5000 and CR-8000

PCB Component Libraries (EDA), PCB CAD Library Ultra Librarian

Environmental Product Compliance

Compliance Search

	URL	Download
Environmental Product Compliance 806-911		
THT male header; straight; Pin spacing 5 mm; 11-pole; black		

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.