ASSOCIATION CONNECTING	Material Composit © Copyright 2005. IPC, 1 international and Pan-An	Bannockb	urn, Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a decla he declaratio	ration of the	e substances sses all lowe	within the r level ma	e manufacture terials for wh	er listed ite hich the m	em. Note anufactur	: if the item rer has engi	n is an assen ineering resp	nbly with lowe consibility.
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mfg Information					
Supplier Information	tion															
Company name*			Company unique ID			Unique ID Authority					Response Date*					
onsemi												2023-06-08				
Contact Name			Title - Contact				Phone - Contact*					Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative			Phone - Representative*				Email - Representative*						
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Requester I	Requester Item Number Mfr Iten		Number Mfr Item Name				Effective D	ate Versio	on l	Manufacturing Site		v	Veight*	UOI	М	Unit Type
	EMI804		BMUTAG	UTAG 1Pair 5Gbps CMF 0.5P			2023-06-08		1	MY1		1	6.43	mg		Each
Manufacturing Pr	roccess Information	l														
Terminal Plating / Grid Array Material		al T	erminal Base A	ninal Base Alloy J-STI		L Rating	Peak Pr	ak Process Body Temperatur		ure Max Time at Peak Temp		Temperatu	mperature Number of Reflow Cyc		flow Cycles	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			U Alloy	Alloy 1			260 C		C	30		second	seconds 3			
Comments																
evel 1 - maximum tim	e at peak temperature d	uring sol	dering is 10-3	0 seconds												
or more information	regarding material com	position j	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth					
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted				
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all				
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature Ra	stislav Drska	Le							

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.18	mg	Supplier	Silicon (Si)	7440-21-3		0.18	mg	
Die Attach	0.09	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.018	mg	
			Supplier	Silver (Ag)	7440-22-4		0.072	mg	
Lead Frame	9.37	mg	Supplier	Tin (Sn)	7440-31-5		0.0234	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0206	mg	
			Supplier	Chromium (Cr)	7440-47-3		0.0234	mg	
			Supplier	Copper (Cu)	7440-50-8		9.3025	mg	
Mold Compound-Black	6.72	mg		Epoxy Phenol Resin	proprietary data		0.7056	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		6.0144	mg	
Plating	0.05	mg	Supplier	Palladium (Pd)	7440-05-3		0.0012	mg	
			В	Nickel (Ni)	7440-02-0		0.044	mg	
			Supplier	Gold (Au)	7440-57-5		0.0048	mg	
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).