




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

\land \Box	L
	Г
	┝
	L









NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/2019	
			CHECKED:	DATE:	
EDAC INC		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-27W	2224-2NA	ISSUE
YOU	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-27W	2224-2NA	1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05

OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS

WITHOUT WRITTEN PERMISSION.

PART NUMBER:



(1)

1

628-27W2224-2NA



5W5 Male

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female






21W4 Male/Female

	orro marc				
				63.50 31.75 64 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 +	- Berse
		11W1 Male/Female	27W2 Male/Femal	e	
	8W8 Female 31.75 22.83 22.87 90 90 90 90 90 90 90 90			83.50 31.75 444444444444444444444444444444444444	
		17W2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING / ϕ A 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 40A / 4.2			SS .		
			SW REFERENCE NO.: 628 C	COMBO ASSEMBLY	
			DRAWN: C.B	DATE: JAN. 01/20	019
_			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO		ARE THE PROPERTY OF EDAG INC., AND	SCALE: N.T.S	SHEET 3 OF	4
			DRAWING NUMBER: 628-27W	2224-2NA	ISSUE

YOUR CONNECTION TO QUALITY & SERVICE

5W5 Female

COMPLIANT



UROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male




47.00 23.53 23.53 47.00 9.70 14.51 9.32 14.51 9.32 14.51 9.70 14.51 9.70 14.51 9.70 14.51 9.70 9.




36W4 Female




13W3 Male



36W4 Male








13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











	SW REFERENCE NO.: 628 (
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R0HS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628-27W2224-2NA		ISSUE
			PART NUMBER: 628-27W	2224-2NA	1