


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




**ISSUE NUMBER** 

ORIGINAL

(1)





NOTES:

.X ±0.25

.XX ±0.13 .XXX ±0.05

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 30µ GOLD PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

COMBINATION	COMBINATION D-SUB		DATE: JAN. 01/2019	
			DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628W3WK3624-2N2		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W3W	K3624-2N2	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

COMPLIANT

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





 $\overline{(1)}$ 

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female


16.62


					33.30
-	47.05 - 23.03 - 14.46 - 14.48 - 14.	F ¢			
				17W2	Male/Female
	CURRENT RATING / Ø 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	A		807	
			COMBINAT	FION	D-SUB
	THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.		EDAG INC TORONTO, ONTA CANADA YOUR CONNECTION TO QUALITY & SERVI		THESE DRAWINGS AND SPECIFICAT ARE THE PROPERTY OF EDAC INC.,/ SHALL NOT BE REPRODUCED,OR CO OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPAR. WITHOUT WRITTEN PERMISSION.

31.75


22.97

/Female





	SW REFERENCE NO.: 628 COMBO ASSEMBLY				
	DRAWN: C.B	DATE: JAN. 01/2019			
	CHECKED:	DATE:			
CATIONS C.,AND COPIED ARATUS	SCALE: N.T.S	SHEET 3 OF 4			
	DRAWING NUMBER: 628W3WI	K3624-2N2 ISSUE			
	PART NUMBER: 628W3WI	K3624-2N2 1			




47.05

23.53

8W8 Female






63.50











TOLERANCE UNLESS OTHERWISE SPECIFIED DAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male










36W4 Female




13W3 Male











13W6 Male



43W2 Male





17W5 Female

 .X
 ±0.25

 .XX
 ±0.13

 .XXX
 ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628W3W	K3624-2N2	ISSUE
			PART NUMBER: 628W3W	1	