


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


ORIGINAL

(1)





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

SW REFERENCE NO .: 628 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS OF SCALE: (IN C.A.D. 1:1) SHEET 1 4 EDAC INC ARE THE PROPERTY OF EDAC INC..AND TORONTO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 628-17W2624-5TB DRAWING NUMBER: ISSUE OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS 1 YOUR CONNECTION TO QUALITY & SERVICE PART NUMBER: 628-17W2624-5TB WITHOUT WRITTEN PERMISSION.



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

1

628-17W2624-5TB



5W5 Male

COMPLIANT

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female

| | | 33.30 6.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.65 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 | | 63.50 31.75 90 9.70 + + + + + + + + + + + + + + + + + + + | - Sere |
|--|--|--|------------------------------------|--|--|
| | | 11W1 Male/Female | 27W2 Male/Femal | e | |
| 5W5 Female | 8W8 Female | 17/W2 Malo /Formalo | | | and the second s |
| CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 | $\frac{4706}{14.49}$ $\frac{14.49}{14.49}$ $\frac{14.49}{14.49}$ $\frac{14.49}{14.49}$ $\frac{14.49}{14.49}$ $\frac{14.49}{14.49}$ $\frac{12.23}{12.23}$ $\frac{12.23}{12$ | | | | |
| | COMBINATION D-SUB | | | | 242 |
| | COMBIN | ATION D-SUB | DRAWN: C.B CHECKED: | DATE: JAN. 01/20 DATE: | 019 |
| THIS SERIES FULLY CONFORMS TO | EDAC II | NC THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND | SCALE: N.T.S | SHEET 3 OF | 4 |
| | | NTARIO SHALL NOT BE REPRODUCED, OR COPIED | DRAWING NUMBER: 628-17W2624-5TB IS | | ISSUE |

EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



NTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE

OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

PART NUMBER:

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25









25W3 Male











36W4 Female



13W3 Male



36W4 Male







13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







| | | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
|---|--|--|--------------------------------------|------------|-------|--|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | | |
| | | | CHECKED: | DATE: | | |
| THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. | EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 | |
| | | | DRAWING NUMBER: 628-17W2624-5TB | | ISSUE | |
| | | | PART NUMBER: 628-17W | 2624-5TB | 1 | |