






PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Peng-Bing Fu	2013/04/25	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Xie Bob	2013/05/21			ecn no	-	rel level	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	-	2013/05/21						
surface	<input checked="" type="checkbox"/> linear <input type="checkbox"/> angular	0.X ±0.5 0.XX ±0.25 0.XXX ±0.10			3HDP+ILP+24S+ILP+3HDP RA STB HEADER		dwg no 10106262-6206001	rev A	Product - Customer Drw sheet 1 of 3	
ASME Y14.5	angular	0° ±2°	www.fci.com	cat. no.	PDS: Rev :A		STATUS:Released		Printed: May 22, 2013	

PRODUCT NO.	ROWS	HP		LP	SIGNAL						LP	HP				
		E1	P1	P2	P3	LP1	1	2	3	4	5	6	LP2	P4	P5	P6
10106262-6206001LF	DCBA	H1 H1 H1			LK	UUUUUU	UUUUUU	UUUUUU	UUUUUU	UUUUUU	UUUUUU	LK	H1 H1 H1			
		H1 H1 H1			LK	TTTTTT	TTTTTT	TTTTTT	TTTTTT	TTTTTT	TTTTTT	LK	H1 H1 H1			
		H1 H1 H1			LK	RRRRRR	RRRRRR	RRRRRR	RRRRRR	RRRRRR	RRRRRR	LK	H1 H1 H1			



CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
LK	STD LOW POWER CONTACT (3.43)
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Peng-Bing Fu	2013/04/25	projection	MM	size	A3	scale	3:2
eng	Xie Bob	2013/05/21			ecn no		-	
chr	-	-			rel level		Released	
appr	Pei-Ming Zheng	2013/05/21	product family		PwrBlade+		Released	
			3HDP+1LP+24S+1LP+3HDP RA STB HEADER			dwg no 10106262-6206001	rev A	
www.fci.com			cat. no.		Product - Customer Drw			sheet 2 of 3

Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Peng-Bing Fu	2013/04/25	projection 	MM 	size	A3	scale	3:2
eng	Xie Bob	2013/05/21			ecn no	-		
chr	-	-	product family	PwrBlade+	rel level	Released		
appr	Pei-Ming Zheng	2013/05/21			title 3HDP+1LP+24S+1LP+3HDP RA STB HEADER	dwg no 10106262-6206001	rev A	
www.fci.com			cat. no.	Product - Customer Drw		sheet 3 of 3		