Mc In-l	ounting Option Line Card Guides	Contact Detail Wire Wrap .046x.014(1.17x0.36) - Tail LG=.495(12.57) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing	THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTE	ISSUE NUMBE ORIGINAL	1
0.500[12.70]	0.156[3	.96]		SECTION A-A	
	A	EDAG			
0.473[12.01]	A	6.990[177.55]		1.175 [4.45] Point of Contact (FROM BTM OF SLOT) I Slot Accepts .054 [1.37] 70 [1.78] Thick P.C. Board	
		307 / 357 Card Edge	Connector	ACAD REFERENCE NO. 307 ENG	NASTE

See Accompanying Pages for:

- **Contact Bend Details**
- **Mounting Options**

Part Number: 357-039-441-178



EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO.	307 ENG MASTER	
DRAWN: J.LEE	DATE: AUG. 11/09	
CHECKED:	DATE:	
SCALE: NTS	SHEET 1 OF 3	
DRAWING NUMBER	ISSUE	
307 Assembly	1	



