
THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





ISSUE NUMBER

(1)

ORIGINAL









NOTES:

.X ±0.25 .XX ±0.13

.XXX ±0.05

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

CONTACT CODE 40 POWER CONTACT FOOTPRINT - 13.20mm 40 IS STANDARD AS SHOWN ON SHEETS 3 & 4 CONTACT CODE 50 POWER CONTACT FOOTPRINT - 20.33mm

| | | | SW REFERENCE NO.: 630 C | OMBO ASSEMBLY | |
|-----------------------------------|--------------------------------------|---|---------------------------------|------------------|-------|
| | COMBINATION | D-SUB | DRAWN: C.B | DATE: JAN. 01/20 | 19 |
| | | | CHECKED: | DATE: | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 |
| | | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 630-2W2-250-1N5 | | ISSUE |
| YOUR CONNECTION TO QUALITY & SERV | YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 630-2W2- | -250-1N5 | 1 |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

(1)



3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

11W1 Male/Female



21W4 Male/Female

27W2 Male/Female



5W5 Male



PCB EDGE

8W8 Male



PCB EDGE




PCB EDGE


2.77 PCB EDGE

5W5 Female

COMPLIANT



8W8 Female




PCB EDGE

22.70 2.77 PCB EDGE

21W1 Male/Female




| CURRENT RATING / ϕ |
|-------------------------|
| 10A / 2.2 |
| 20A / 3.3 |
| 30A / 3.7 |
| 40A / 4.2 |



OR USED AS THE BASIS FOR THE

WITHOUT WRITTEN PERMISSION.



17W2 Male/Female

COMBINATION D-SUB





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

| | EDAC INC | | |
|--|------------------|--|--|
| | TORONTO, ONTARIO | | |
| | CANADA | | |
| | | | |

TOLERANCE UNLESS OTHERWISE SPECIFIED DAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male





2.77


24.77

23.36

PCB EDGE

PCB EDGE

36W4 Female



13W6 Male



2.77

PCB EDGE



30.50

2.77

22.16

22.16

2.77

20.78

20.7

13.72

PCB EDGE

PCB EDGE

13W6 Female

13W3 Female

 .X
 ±0.25

 .XX
 ±0.13

 .XXX
 ±0.05

43W2 Female




17W5 Male

COMPLIANT










31.75

21.9



| | | | | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | |
|-------------------------------|--------------------------------------|---|-------------------------|------------|--------------------------------------|--|--|
| COMBINATION D-SUB | | DRAWN: C.B | DATE: JAN. 01/20 |)19 | | | |
| | | | | DATE: | | | |
| THIS SERIES FULLY CONFORMS TO | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: N.T.S | SHEET 4 OF | 4 | | |
| THE EUROPEAN UNION DIRECTIVES | TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 630-2W2 | -250-1N5 | ISSUE | | |
| | YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 630-2W2 | -250-1N5 | 1 | | |