



QQHM2.E173962
Power Supplies, Medical and Dental - Component

[Page Bottom](#)

Power Supplies, Medical and Dental - Component

[See General Information for Power Supplies, Medical and Dental - Component](#)

XP POWER INC
 305 FOSTER ST
 LITTLETON, MA 01460 USA

E173962

Model No.	Rated Input			Output			OC	SP	EP	FC	GC
	V	Hz	SC	Max V	Max A	Max VA					
PAP30-12 (d), PAP30-12-1(d)	100-120/ 200-240	50-60	0	+13.5	2.5	—	4	2601	20B	0	0
PMP55-10(f)	100-240	50-60	0	5-6	8.0A	40	9	2601-1	20B	0	0
PMP55-10-1(f)	100-240	50-60	0	6-8	7.5A	45	9	2601-1	20B	0	0
PMP55-11(f)	100-240	50-60	0	9-11	5.0A	50	9	2601-1	20B	0	0
PMP55-12(f)	100-240	50-60	0	11-13	4.6A	55	9	2601-1	20B	0	0
PMP55-13(f)	100-240	50-60	0	13-17	3.7A	55	9	2601-1	20B	0	0
PMP55-13-1(f)	100-240	50-60	0	17-21	3.1A	55	9	2601-1	20B	0	0
PMP55-14(f)	100-240	50-60	0	21-27	2.3A	55	9	2601-1	20B	0	0
PMP55-16(f)	100-240	50-60	0	27-33	1.9A	55	9	2601-1	20B	0	0
PMP55-18(f)	100-240	50-60	0	48	1.2A	55	9	2601-1	20B	0	0
PMP55-17(f)	100-240	50-60	0	33-39	1.6A	55	9	2601-1	20B	0	0
PMP55-23(f)	100-240	50-60	0	5	5.0A	45	9	2601-1	20B	0	0
				12	3.0A						
PMP55-24(f)	100-240	50-60	0	5	5.0A	45	9	2601-1	20B	0	0
				15	2.5A						
PMP55-25(f)	100-240	50-60	0	5	5.0A	45	9	2601-1	20B	0	0
				24	2.0A						
PMP55-31(f)	100-240	50-60	0	5	5.0A	45	9	2601-1	20B	0	0
				12	3.0A						
				-12	0.5A						
PMP55-31-3D(f)	100-240	50-60	0	5	4.0A	45	9	2601-1	20B	0	0
				12	1.0A						
				-12	1.0A						
PMP55-32(f)	100-240	50-60	0	5	5.0A	45	9	2601-1	20B	0	0
				15	2.5A						
				-15	0.5A						

PM40-10-4A(a)(c)	100-240	50-60	0	5.5	7.3	40.15	4	2601-1	2T	0	0
PM40-10A(a)(c)	100-240	50-60	0	5	8	40	4	2601-1	2T	0	0
PM40-12A(a)(c)	100-240	50-60	0	12	3.5	42	4	2601-1	2T	0	0
PM40-13A(a)(c)	100-240	50-60	0	+15	3	45	4	2601-1	2T	0	0
PM40-14A(a)(c)	100-240	50-60	0	24	2	48	4	2601-1	2T	0	0
PM40-18A(a)(c)	100-240	50-60	0	48	0.9	43.2	4	2601-1	2T	0	0
PM40-23-1A(a)(c)	100-240	50-60	0	5.5	6	33	4	2601-1	2T	0	0
				12.5	2	25					
PM40-23A(a)(c)	100-240	50-60	0	5	3	15	4	2601-1	2T	0	0
				12	2	24					
PM40-24A(a)(c)	100-240	50-60	0	5	3	15	4	2601-1	2T	0	0
				15	2	30					
PM40-25A(a)(c)	100-240	50-60	0	5	3	15	4	2601-1	2T	0	0
				24	1	24					
PM40-30A(a)(c)	100-240	50-60	0	5	3	15	4	2601-1	2T	0	0
				+12	2	24					
				-5	0.3	1.5					
PM40-31A(a)(c)	100-240	50-60	0	5	3	15	4	2601-1	2T	0	0
				12	2	24					
				-12	0.3	3.6					
PM40-32A(a)(c)	100-240	50-60	0	5	3	15	4	2601-1	2T	0	0
				15	2	30					
				-15	0.3	4.5					
PM40-32-5A(a)(c)	100-240	50-60	0	5	3	15	4	2601-1	2T	0	0
				+15	1	5					
				-15	1	15					
PM40-33A(a)(c)	100-240	50-60	0	5	3	15	4	2601-1	2T	0	0
				15	2	30					
				-12	0.3	3.6					
PM40-39A(a)(c)	100-240	50-60	0	5	3	15	4	2601-1	2T	0	0
				24	1	24					
				-12	0.3	3.6					
PM65-XX(e)	100-240	47-63	0	5 to	0.2 to	—	4	2601-1	2T	0	0
				36 V	10 A						
				1 to 4	1 to 4						
				Outputs	Outputs						
PM65-33-1	100-240	47-63	0	4.97	22.0	60.7	4	2601-1	2T	0	0
with or without				14.8	77.0	70.4					
suffix A				4.8	17.5	27.5					
PM65-33-8	100-240	47-63	0	5.31	22.01	65.56	4	2601-1	2T	0	0
with or without				12.80	8.79	78.44					

suffix A				12.66	2.40	5.32						
PM110-XX-YY(h)	100-240	47-63	0	3.3 to	1 to	max 153	4	2601-1	4T	0	0	
				30 V	22 A	VAat						
				1 to 4	1 to 4	30vdc						
				Outputs	Outputs							
PM200-10(a)(b)	100-120/ 200-240	50-60	0	5	40	200	4	2601-1	6.3T	0	0	
PM200-12(a)(b)	100-120/ 200-240	50-60	0	12	16.7	200.4	4	2601-1	6.3T	0	0	
PM200-13(a)(b)	100-120/ 200-240	50-60	0	15	13.4	201	4	2601-1	6.3T	0	0	
PM200-14(a)(b)	100-120/ 200-240	50-60	0	24	8.4	201.6	4	2601-1	6.3T	0	0	
PM200-16(a)(b)	100-120/ 200-240	50-60	0	30	6.7	201	4	2601-1	6.3T	0	0	
PM200-18(a)(b)	100-120/ 200-240	50-60	0	48	4.2	201.6	4	2601-1	6.3T	0	0	
PM200-23(a)(b)	100-120/ 200-240	50-60	0	+5	30.0	150	4	2601-1	6.3T	0	0	
				+12	8	96						
PM200-24(a)(b)	100-120/ 200-240	50-60	0	+5	30	150	4	2601-1	6.3T	0	0	
				+15	6	90						
PM200-25(a)(b)	100-120/ 200-240	50-60	0	+5	30	150	4	2601-1	6.3T	0	0	
				+24	4	96						
PM200-30(a)(b)	100-120/ 200-240	50-60	0	+5	30	150	4	2601-1	6.3T	0	0	
				+12	8	96						
				-5	6	30						
PM200-31(a)(b)	100-120/ 200-240	50-60	0	+5	30	150	4	2601-1	6.3T	0	0	
				+12	8	96						
				-12	4	48						
PM200-32(a)(b)	100-120/ 200-240	50-60	0	+5	30	150	4	2601-1	6.3T	0	0	
				+15	6	90						
				-15	6	60						
PM200-33(a)(b)	100-120/ 200-240	50-60	0	+5	30	150	4	2601-1	6.3T	0	0	
				+15	6	90						
				-12	4	48						
PM200-40(a)(b)	100-120/ 200-240	50-60	0	+5	30	150	4	2601-1	6.3T	0	0	
				+12	8	96						
				-12	4	48						
PM200-41(a)(b)	100-120/ 200-240	50-60	0	+5	30	150	4	2601-1	6.3T	0	0	
				+15	6	90						

					-15	4	60					
PM200-42(a)(b)	100-120/	50-60	0	+5	30	150	4	2601-1	6.3T	0	0	
	200-240			+12	8	96						
				-12	4	48						
				12	4	48						
PM200-44(a)(b)	100-120/	50-60	0	+5	30	150	4	2601-1	6.3T	0	0	
	200-240			+12	8	96						
				-15	4	60						
				15	4	60						
PM200-45(a)(b)	100-120/	50-60	0	+5	30	150	4	2601-1	6.3T	0	0	
	200-240			+12	8	96						
				-12	4	48						
				15	4	60						
PMP130-10(g)	100-120/	47-63	0	5	20.0A	100	9	2601-1	20B	0	0	
	200-240											
PMP130-10-1(g)	100-120/	47-63	0	7	14.3A	100	9	2601-1	20B	0	0	
	200-240											
PMP130-11(g)	100-120/	47-63	0	10	10.0A	100	9	2601-1	20B	0	0	
	200-240											
PMP130-12(g)	100-120/	47-63	0	12	11.0A	130	9	2601-1	20B	0	0	
	200-240											
PMP130-13(g)	100-120/	47-63	0	15	8.7A	130	9	2601-1	20B	0	0	
	200-240											
PMP130-13-1(g)	100-120/	47-63	0	12	7.25A	130	9	2601-1	20B	0	0	
	200-240											
PMP130-14(g)	100-120/	47-63	0	24	5.5A	130	9	2601-1	20B	0	0	
	200-240											
PMP130-16(g)	100-120/	47-63	0	30	4.4A	130	9	2601-1	20B	0	0	
	200-240											
PMP130-17(g)	100-120/	47-63	0	36	3.52A	130	9	2601-1	20B	0	0	
	200-240											
PMP130-18(g)	100-120/	47-63	0	48	2.75A	130	9	2601-1	20B	0	0	
	200-240											
IMP110-X-YYY-Z(i),	100-240	47-63	0	5 to	5 to	—	9	2601-1	—	0	1	
PMP110-X-YYY-Z(i)				24V	2A							
IMP30 Series (k)	100-240	47-63	0	12	5.5	66	4	2601-1	20B	0	0	
				6-8	4.5	30						
				9-11	3.4							
				11-13	2.8							
				13-17	2.4							
				17-21	1.8							

				21-27	1.5							
				27-33	1.5							
				33-39	1.0							
				48	0.7							
PBM25US05XY	100-240	47-63	0	5.17	5.5	28	9	2601-1	1T	0	1	
PBM25US12XY	100-240	47-63	0	12	2.3	28	9	2601-1	1T	0	1	
PBM25US15XY	100-240	47-63	0	15	1.9	28	9	2601-1	1T	0	1	
PBM25US24XY	100-240	47-63	0	24	1.2	28	9	2601-1	1T	0	1	
PBM25US28XY	100-240	47-63	0	28	1.0	28	9	2601-1	1T	0	1	
PBM25UD01XY	100-240	47-63	0	5.1	2.5	25	9	2601-1	1T	0	1	
				12	1.5							
PBM25UD02XY	100-240	47-63	0	5.1	2.5	25	9	2601-1	1T	0	1	
				24	0.8							
PBM25UT01XY	100-240	47-63	0	5.1	2.5	25	9	2601-1	1T	0	1	
				12	1.5							
				12	0.2							
PBM25UT02XY	100-240	47-63	0	5.1	2.5	25	9	2601-1	1T	0	1	
				15	1.0							
				15	0.2							
PBM25UT03XY	100-240	47-63	0	5.1	2.5	25	9	2601-1	1T	0	1	
				24	0.8							
				12	0.2							
PBM65US05XY	100-240	47-63	0	5.1	10	51	9	2601-1	1T	0	1	
PBM65US12XY	100-240	47-63	0	12	5.5	65	9	2601-1	1T	0	1	
PBM65US15XY	100-240	47-63	0	15	4.4	65	9	2601-1	1T	0	1	
PBM65US18XY	100-240	47-63	0	18	3.7	65	9	2601-1	1T	0	1	
PBM65US24XY	100-240	47-63	0	24	2.8	65	9	2601-1	1T	0	1	
PBM65US28XY	100-240	47-63	0	28	2.4	65	9	2601-1	1T	0	1	
PBM65USC5	100-240	47-63	0	5.1	10	51	9	2601-1	1T	0	1	
PBM65US12	100-240	47-63	0	12	5.5	65	9	2601-1	1T	0	1	
PBM65US15	100-240	47-63	0	15	4.4	65	9	2601-1	1T	0	1	
PBM65US18	100-240	47-63	0	18	3.7	65	9	2601-1	1T	0	1	
PBM65US24	100-240	47-63	0	24	2.8	65	9	2601-1	1T	0	1	
PBM65US28	100-240	47-63	0	28	2.4	65	9	2601-1	1T	0	1	
PCM50US2V5xy(j)	100-240	47-63	0	3	12	30W	9	2601-1	2T	0	1	
PCM50US3V3xy(j)	100-240	47-63	0	5	10	40W	9	2601-1	2T	0	1	
PCM50US05xy(j)	100-240	47-63	0	6	8	40W	9	2601-1	2T	0	1	
PCM50US07xy(j)	100-240	47-63	0	8	7	42W	9	2601-1	2T	0	1	
PCM50US09xy(j)	100-240	47-63	0	11	5.63	45W	9	2601-1	2T	0	1	
PCM50US12xy(j)	100-240	47-63	0	13	4	45W	9	2601-1	2T	0	1	
PCM50US15xy(j)	100-240	47-63	0	16	3.46	45W	9	2601-1	2T	0	1	

PCM50US18xy(j)	100-240	47-63	0	21	3.12	50W	9	2601-1	2T	0	1
PCM50US24xy(j)	100-240	47-63	0	27	2.3	50W	9	2601-1	2T	0	1
PCM50US28xy(j)	100-240	47-63	0	33	1.85	50W	9	2601-1	2T	0	1
PCM50US36xy(j)	100-240	47-63	0	40	1.51	50W	9	2601-1	2T	0	1
PCM50US48xy(j)	100-240	47-63	0	50	1.25	50W	9	2601-1	2T	0	1
PCM50UD01xy(j)	100-240	47-63	0	3.3	5	40W	9	2601-1	2T	0	1
				12	2	40W					
PCM50UD03xy(j)	100-240	47-63	0	5	5	42W	9	2601-1	2T	0	1
				12	2	42W					
PCM50UD04xy(j)	100-240	47-63	0	5	5	42W	9	2601-1	2T	0	1
				15	1.5	42W					
PCM50UD05xy(j)	100-240	47-63	0	5	5	42W	9	2601-1	2T	0	1
				24	1	42W					
PCM50UD00xy(j)	100-240	47-63	0	3.3	5	26.5W	9	2601-1	2T	0	1
				5	2	26.5W					
PCM50UD07xy(j)	100-240	47-63	0	12	3	42W	9	2601-1	2T	0	1
				-12	1	42W					
PCM50UD08xy(j)	100-240	47-63	0	15	2	42W	9	2601-1	2T	0	1
				-15	1	42W					
PCM50UD06xy(j)	100-240	47-63	0	5	5	42W	9	2601-1	2T	0	1
				-24	1	42W					
PCM50UD10xy(j)	100-240	47-63	0	5.1	5	42W	9	2601-1	2T	0	1
				7.2	2.6	42W					
PCM50UD11xy(j)	100-240	47-63	0	10.5	2	42W	9	2601-1	2T	0	1
				-10.5	2	42W					
PCM50UD02xy(j)	100-240	47-63	0	5	5	35W	9	2601-1	2T	0	1
				-5	2	35W					
PCM50UT02xy(j)	100-240	47-63	0	3.3	5	42W	9	2601-1	2T	0	1
				12	2	42W					
				-12	0.8	42W					
PCM50UT03xy(j)	100-240	47-63	0	5	5	42W	9	2601-1	2T	0	1
				12	2	42W					
				-5	0.8	42W					
PCM50UT04xy(j)	100-240	47-63	0	5	5	42W	9	2601-1	2T	0	1
				12	2	42W					
				-12	0.8	42W					
PCM50UT05xy(j)	100-240	47-63	0	5	5	42W	9	2601-1	2T	0	1
				15	12	42W					
				-15	0.8	42W					
PCM50UT07xy(j)	100-240	47-63	0	5	5	42W	9	2601-1	2T	0	1
				24	1	42W					

				-24	0.5	42W						
PCM50UT06xy(j)	100-240	47-63	0	5	5	42W	9	2601-1	2T	0	1	
				24	1	42W						
				-12	0.8	42W						
PCM50UT01xy(j)	100-240	47-63	0	3.3	5	42W	9	2601-1	2T	0	1	
				12	2	42W						
				-5	0.8	42W						
ECM130PS05	100-250	47-63	0	5	20	—	9	60601-1	20B	0	0	
JPS130PS05-M	100-250	47-63	0	5	20	—	9	60601-1	20B	0	0	
ECM130PS12				12	9	—						
JPS130PS12-M				12	9	—						
ECM130PS15				15	7	—						
JPS130PS15-M				15	7	—						
ECM130PS24				24	4.5	—						
JPS130PS24-M				24	4.5	—						
ECM130PS48				48	2.3	—						
JPS130PS48-M				48	2.3	—						
ECM130PS28				28	4.65	—						
JPS130PS28-M				28	4.65	—						
ECM130PT31				5	15	—						
JSP130PT31-M				5	15	—						
ECM130PT32				5	10	—						
JPS130PT32-M				5	10	—						
PCM120PS12(m)	100-250	50/60	0	18	6.5	117	9	60601-1	20B	0	1	
PCM120PS15(m)				12	9.0	108						
PCM120PS18(m)				12	9.0	108						
PCM120PS24(m)				15	7.5	112.5						
PCM120PS48(m)				24	5.0	120						
PCM80PS3V3,	100-240	47-63	0	3.31	23.23	61.69	9	60601-1	20B	2, 6	1	
PCM80PS05(d),				5	13	—						
PCM80PS07(d),				7	10	—						
PCM80PS09(d),				9	8.3	—						
PCM80PS10(d),				10	7.5	—						
PCM90PS121009(d),				12	5.42	—						
PCM90PS122013,				11.96	10.1	99.6						
PCM80PS12(d),				12	6.66	—						
PCM80PS13V5(d),				13.5	5.93	—						
PCM80PS15(d),				15	5.33	—						
PCM80PS16(d),				16	5.0	—						
PCM80PS17V5(d),				17.5	4.57	—						

PCM80PS18(d),
PCM80PS24(d),
PCM80PS27(d),
PCM80PS30(d),
PCM80PS36(d),
PCM80PS48,
PCM80PD01(d),
PCM80PD02,
PCM80PD03(d),
PCM80PD06,
PCM80PD07(d),
PCM80PD08,
PCM80PD04(d),
PCM80PD00(d),
PCM80PD05(d),
PCM80PT01,
PCM80PT03(d),
PCM80PT04(d),
PCM80PT05(d),
PCM80PT07,
PCM80PT06(d)

18	4.44	—
24	3.33	—
27	2.96	—
30	2.66	—
36	2.22	—
48	2.07	89.09
3.3	7	—
12	2.5	—
5.06	20.57	59.00
13.11	7.01	41.55
5	7	—
15	2	—
11.87	8.21	70.51
12.09	2.35	23.78
15	4	—
-15	0.8	—
23.90	3.51	63.10
23.76	1.65	33.76
5	7	—
24	2	—
3.3	7	—
5	3	—
5	7	—
-24	2	—
3.34	29.74	54.42
16.15	7.08	52.37
5.04	1.70	7.98
5	6	—
12	2.5	—
-5	0.5	—
5	6	—
12	2.1	—
-12	0.5	—
5	6	—
15	2.1	—
-15	0.5	—
4.97	15.20	52.02
23.49	2.68	33.58
23.58	1.85	36.08
5	6	—
24	1.2	—

					-12	0.5	—					
ECM15US03, ECM15US05,	100-240	0.4-0.2	0	4.983	3.9	19.17	9	60601-1	20B	0	2	
ECM15US09, ECM15US12, ECM15US15, ECM15US24, CU15-00-M, CU15-10-M, CU15-09-M, CU15-12-M, CU13-00-M, CU15-14-M					9.025	2.45	21.75					
					23.98	1.1	26.33					
JPS130PT34-M	100-250	47-63	0	5	4	—	9	60601-1	20B	0	0	
JPS130PS35-M	100-250	47-63	0	35	3.7	—	9	60601-1	20B	0	0	
PBM200PS05X	100-240	47-63	0	5.1	35	175	9	60601-1	20B	0	0	
PBM200PS3V3X	100-240	47-63	0	3.3	46	150	9	60601-1	20B	0	0	
PBM200PS12X	100-240	47-63	0	12	16.7	200	9	60601-1	20B	0	0	
PBM200PS15X	100-240	47-63	0	15	13.4	200	9	60601-1	20B	0	0	
PBM200PS24X	100-240	47-63	0	24	8.4	200	9	60601-1	20B	0	0	
PBM200PS30X	100-240	47-63	0	30	6.7	200	9	60601-1	20B	0	0	
PBM200PS48X	100-240	47-63	0	48	4.2	200	9	60601-1	20B	0	0	
PBM200PD01X	100-240	47-63	0	5.1	30	200	9	60601-1	20B	0	0	
	12	8										
PBM200PD02X	100-240	47-63	0	5.1	30	200	9	60601-1	20B	0	0	
				15	6							
PBM200PD03X	100-240	47-63	0	5.1	30	200	9	60601-1	20B	0	0	
	24	4										
PBM200PD04X	100-240	47-63	0	12	8.7	200	9	60601-1	20B	0	0	
	24	4										
PBM200PT01X	100-240	47-63	0	5.1	30	200	9	60601-1	20B	0	0	
	12	8										
	-5	6										
PBM200PT02X	100-240	47-63	0	5.1	30	200	9	60601-1	20B	0	0	
	12	8										
	-12	4										
PBM200PT03X	100-240	47-63	0	5.1	30	200	9	60601-1	20B	0	0	
	15	6										
	-15	4										
PBM200PT05X	100-240	47-63	0	5.1	30	200	9	60601-1	20B	0	0	
	15	6										
	-12	4										
PBM200PT04X	100-240	47-63	0	5.1	30	200	9	60601-1	20B	0	0	
	12	8										
	24	4										
PBM200PQ01X	100-240	47-63	0	5.1	30	200	9	60601-1	20B	0	0	
	12	8										
	-12	4										

	5	6										
PBM200PQ02X	100-240	47-63	0	5.1	30	200	9	60601-1	20B	0	0	
	15	6										
	-15	4										
	24	4										
PBM200PQ03X	100-240	47-63	0	5.1	30	200	9	60601-1	20B	0	0	
	12	8										
	-12	4										
	12	4										
PBM200PQ04X	100-240	47-63	0	5.1	30	200	9	60601-1	20B	0	0	
	12	8										
	-15	4										
	15	4										
PBM200PQ05X	100-240	47-63	0	5.1	30	200	9	60601-1	20B	0	0	
	12	8										
	-12	4										
	12	4										
PBM200PQ06X	100-240	47-63	0	3.3	30	175	9	60601-1	20B	0	0	
	5.1	8										
	-12		4									
	12	4										
PBM300PS05 (b)	100-240	47-63	0	5.1	60	300	9	60601-1	20B	0	0	
PBM300PS30 (b)	100-240	47-63	0	3.3	60.7	200	9	60601-1	20B	0	0	
PBM300PS12 (b)	100-240	47-63	0	12	25	300	9	60601-1	20B	0	0	
PBM300PS15 (b)	100-240	47-63	0	15	20	300	9	60601-1	20B	0	0	
PBM300PS24 (b)	100-240	47-63	0	24	12.5	300	9	60601-1	20B	0	0	
PBM300PS30 (b)	100-240	47-63	0	30	10	300	9	60601-1	20B	0	0	
PBM300PS48 (b)	100-240	47-63	0	48	6.3	300	9	60601-1	20B	0	0	
PBM300PQ01 (b)	100-240	47-63	0	3.3	35	250	9	60601-1	20B	0	0	
				5.1	22							
				12	4							
				12	4							
PBM300PQ02 (b)	100-240	47-63	0	5.1	35	300	9	60601-1	20B	0	0	
				12	10							
				12	4							
				5.1	1.4							
PBM300PQ03 (b)	100-240	47-63	0	5.1	35	300	9	60601-1	20B	0	0	
				15	8							
				15	4							
				24	2.5							
PBM300PQ04 (b)	100-240	47-63	0	5.1	35	300	9	60601-1	20B	0	0	

					12	10						
					12	4						
					12	4						
PBM300PQ05 (b)	100-240	47-63	0	5.1	35	300	9	60601-1	20B	0	0	
					12	10						
					12	4						
					24	2.5						
PBM300PQ06 (b)	100-240	47-63	0	5.1	35	300	9	60601-1	20B	0	0	
					12	10						
					12	4						
					15	4						
PBM300PQ07 (b)	100-240	47-63	0	5.1	35	300	9	60601-1	20B	0	0	
					24	5						
					12	4						
					12	4						
PBM300PQ08 (b)	100-240	47-63	0	5.1	35	300	9	60601-1	20B	0	0	
					24	5						
					5.1	4						
					15	4						
PBM300PQ09 (b)	100-240	47-63	0	5.1	35	300	9	60601-1	20B	0	0	
					12	10						
					5.1	4						
					24	2.5						
PBM300PQ10 (b)	100-240	47-63	0	24	6.3	300	9	60601-1	20B	0	0	
					12	10						
					5.1	4						
					12	4						
PBM300PQ11 (b)	100-240	47-63	0	24	6.3	300	9	60601-1	20B	0	0	
					12	10						
					5.1	4						
					24	2.5						
PBM300PQ12 (b)	100-240	47-63	0	24	6.3	300	9	60601-1	20B	0	0	
					12	10						
					12	4						
					12	4						
PBM300PQ13 (b)	100-240	47-63	0	24	6.3	300	9	60601-1	20B	0	0	
					24	5						
					5.1	4						
					15	4						
PBM300PQ14 (b)	100-240	47-63	0	24	6.3	300	9	60601-1	20B	0	0	
					24	5						


				12	4							
				12	4							
AMM120PS12(l)(n)	100-240	47-63	0	12	8	96	9	60601-1	20B	0	0	
AMM120PS15(l)(n)	100-240	47-63	0	15	7	105	9	60601-1	20B	0	0	
AMM120PS18(l)(n)	100-240	47-63	0	18	6.67	120	9	60601-1	20B	0	0	
AMM120PS19(l)(n)	100-240	47-63	0	19	6.32	120	9	60601-1	20B	0	0	
AMM120PS20(l)(n)	100-240	47-63	0	20	6	120	9	60601-1	20B	0	0	
AMM120PS24(l)(n)	100-240	47-63	0	24	5	120	9	60601-1	20B	0	0	
AMM120PS30(l)(n)	100-240	47-63	0	30	4	120	9	60601-1	20B	0	0	
AMM120PS36(l)(n)	100-240	47-63	0	36	3.34	120	9	60601-1	20B	0	0	
AMM120PS48(l)(n)	100-240	47-63	0	48	2.5	120	9	60601-1	20B	0	0	
SMM400PSx-yzzz	100-240	47-63	0	2.97	72.8	146	9	60601-1	20B	0	1	
(o)(p)(t)												
SMM400PDx-yzzz	100-240	47-63	0	12.81	41	345	9	60601-1	20B	0	1	
(q)(p)(n)												
AMM120PSxCyzzzz	100-240	47-63	0	12	8	96	9	60601-1	20B	0	0	
(r)(s)(t)												
PDM60US12	100-240	47-63	0	12	4.9	60	9	60601-1	20B	0	0	
PDM60US15	100-240	47-63	0	15	4	60	9	60601-1	20B	0	0	
PDM60US18	100-240	47-63	0	18	3.3	60	9	60601-1	20B	0	0	
PDM60US24	100-240	47-63	0	24	2.3	60	9	60601-1	20B	0	0	
PDM60US30	100-240	47-63	0	30	2	60	9	60601-1	20B	0	0	
PDM60US36	100-240	47-63	0	36	1.5	60	9	60601-1	20B	0	0	
PDM60US48	100-240	47-63	0	48	1.25	60	9	60601-1	20B	0	0	

- (a) Output parameters are calculated.
- (b) Followed by suffix "B" or "C".
- (c) May be followed by suffix "L".
- (d) Rated values given.
- (e) Where XX is 10, 12, 13, 14, 17, 23, 24, 25, 30, 31, 32, 33, 35-1, 39, 40, 45-1 or 45-4, with or without suffix A.
- (f) May be followed by yy = blank, 1 or 3D, followed by zz = any alphanumeric character or blank, followed by s = blank or S.
- (g) May be followed by z = any alphanumeric character or blank, followed by s = blank or s.
- (h) Where XXX denotes 10, 10A, 10-1A, 12A, 13A, 14A, 16A, 23A, 31A, 32A, 40A, 41A, 42A, 45, 45A, 45-1A, 45-2A, 46A;YY denotes blank, 1A or 2A, may be followed by suffix -AV.
- (i) Where X = 23, 31, 32, 40, 41, 42, 45, 45-1, 45-2, 46, Y = 0-9, A-Z or blank, Z = S, blank or PF.
- (j) Where suffix xy is optional output connector, x = blank or A-Z, y = blank or 0-9.
- (k) Where X = 10, 10-1, 11, 12, 13, 13-1, 14, 16, 17, 18; y = 0-9, A-Z or blank; Z = S or blank.
- (m) Output values are rated, not maximum.
- (l) where yyy denotes A-Z incl., 0-9 incl. or blank.
- (n) where zzzz denotes blank, 0-9 incl. or any alphanumeric characters for marketing purposes.
- (o) where x = 03, 05, 15, 18, 24, 27, 36, 48, 54.
- (p) where y = blank, (without fan), A (u-case + top cover)(with fan) or C (for enclosure).
- (q) where x = 21, 22, 23, 24, 25.
- (r) where x = 12,15,18,19,20,24,30,36,48.
- (s) where y = A - Z, 0 - 9 or blank

(t) where z = blank, 0 - 9 or any alphanumeric characters for marketing purposes

Note: All models may be followed by two additional alphanumeric characters.



Marking: Company name or trademark  and model designation.

Last Updated on 2006-10-31

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright © 2007 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2007 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

