
Mounting Option Wire Wrap .046x.013(1.17x0.33) - Tail LG=.708(17.98) .156 (3.96) Dia. Mounting Holes .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing -1.714[43.54]-0.343 [8.71] 1.568 [39.83] -0.156[3.96] 2.000 50.80

Contact Detail



SECTION A-A



See Accompanying Pages for:

- **Contact Bend Details**
- **Mounting Options**

.175 [4.45] Point of Contact (FROM BTM OF SLOT) Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board 307 / 357 Card Edge Connector

TORONTO, ONTARIO ARE THE PROPERTY SHALL NOT BE REPT OR USED AS THE B. MANUFACTURE OR S	Part Number:	307-009-545-1	04
	COUR CONNECTION TO	TORONTO, ONTARIO CANADA	THESE DRAWINGS AND ARE THE PROPERTY SHALL NOT BE REPROR USED AS THE BAMANUFACTURE OR SAWITHOUT WRITTEN PE

	ACAD REFERENCE NO. 307 EN		IG MASTER
	DRAWN: J.LEE	DATE: AU	IG. 11/09
	CHECKED:	DATE:	
ND SPECIFICATIONS OF EDAC INC.,AND RODUCED,OR COPIED SASIS FOR THE SALE OF APPARATUS ERMISSION.	SCALE: NTS	SHEET	1 OF 3
	DRAWING NUMBER		ISSUE
	307 Assembly		1



