
#### **Mounting Option**


03-.116 (2.95) I.D. Floating Eyelets

#### **Contact Detail**

555-Extender Board Bend (Code 500 Contacts)

.156 [3.96] Contact Spacing x .200 [5.08] Row Spacing





# 0.388 [9.86] Card Slot .160 [4.06] Point of Contact-SECTION A-A

## **See Accompanying Page for:**

- **Bend Detail**
- **Mounting Options**
- **Features and Specifications**

333 Series Card Edge Connector Part Number: 333-024-555-203

YOUR CONNECTION TO QUALITY & SERVICE

|   | ACAD REFERENCE NO. 333 ENG MASTER |                  |  |
|---|-----------------------------------|------------------|--|
|   | DRAWN: J.LEE                      | DATE: OCT. 14/09 |  |
|   | CHECKED:                          | DATE:            |  |
|   | SCALE: NTS                        | SHEET 1 OF 4     |  |
| 0 | DRAWING NUMBER                    | ISSUE            |  |

333 Assembly

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

ISSUE NUMBER

ORIGINAL

1



| 333 Series Card Edge Conn   | ACAD REFERENCE NO. 333 ENG MASTER |                  |         |        |
|---|-----------------------------------|------------------|---------|--------|
| Contact Bend Detail   | DRAWN: J.LEE                      | DATE: OCT. 14/09 |         |        |
| Confact Bend Defail   | CHECKED:                          | DATE:            |         |        |
| EDAC INC  | THESE DRAWINGS AND SPECIFICATIONS | SCALE: NTS       | SHEET : | 2 OF 4 |
| TORONTO, ONTARIO CANADA  COUR CONNECTION TO QUALITY & SERVICE  TORONTO, ONTARIO ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. |                                   | DRAWING NUMBER   |         | ISSUE  |
|   |                                   | 333 Assembly     |         | 1      |

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER



SOL NUMBER

ORIGINAL

1



| 333 Series Card Edge Conn            | ACAD REFERENCE NO. 333 ENG MASTER   |          |             |         |           |
|--------------------------------------|---|----------|-------------|---------|-----------|
|                                      |   |          | J.LEE       | DATE: O | CT. 14/09 |
| Mounting Options                     |   | CHECKED: |             | DATE:   |           |
| EDAC INC                             | THESE DRAWINGS AND SPECIFICATIONS   | SCALE:   | NTS         | SHEET : | 3 OF 4    |
| TORONTO, ONTARIO                     | ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR LISED AS THE BASIS FOR THE | DRAWING  | NUMBER      |         | ISSUE     |
| YOUR CONNECTION TO QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS  | 3        | 33 Assembly |         | 1         |

ISSUE NUMBER

ORIGINAL



### **Features**

- .156 (3.96) Contact Spacing x .200 (5.08) Row Spacing
- Accepts .062 (1.57) Nominal Thickness P.C. Board
- High Profile Insulator Body .600 (15.24)
- Contact Termination Options include P.C. Tail, Wire Hole, Wire Wrap, 90 Degree, & Extender Board Bends
- Single or Dual Row Configurations
- Variety of Mounting Options, Flush or Offset Lugs
- Accepts Between Contact and In-Contact Polarizing Keys

# **Specifications**

- Insulator Material: Thermoplastic Polyester, UL 94V-0, Colour: Green
- Contact Material: Copper, Nickel, Tin Alloy CA-725
- Contact Plating: Gold on the Mating Area, Tin on the Contact Tails, Nickel Underplate
- Current Rating: 3 Amperes Continuous
- Contact Resistance: 10 Milliohms Maximum
- Dielectric Withstanding Voltage: 1800 V AC rms at Sea Level Between Adjacent Contacts
- Insulation Resistance: 5000 Megohms Minimum
- Operating Temperature: -65 to +105 Degrees C
- Insertion Force: 16 oz (4.45 N) Maximum per Contact Pair when Tested with a .070 (1.78) Thick Gauge
- Withdrawal Force: 1 oz (0.28 N) Minimum per Contact Pair when Tested with a .054 (1.37) Thick Gauge

| 333 Series Card Edge Connector    | ACAD REFERENCE NO. 333 ENG MASTER         |
|-----------------------------------|---|
| Features and Specifications       | DRAWN: J.LEE DATE: OCT. 14/09             |
| realities and specifications      | CHECKED: DATE:                            |
| EDAC INC THESE DRAWINGS A         | ND SPECIFICATIONS SCALE: NTS SHEET 4 OF 4 |
| IORONIO, ONIARIO SHALL NOT BE REF | PRODUCED, OR COPIED DRAWING NUMBER ISSUE  |
|                                   | SALE OF APPARATUS 333 Accombly 1          |