
THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




**ISSUE NUMBER** 

(1)

ORIGINAL





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

.X ±0.25 .XX ±0.13

.XXX ±0.05


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms



	COMBINATION D-SUB			SW REFERENCE NO.: 630 COMBO ASSEMBLY						
				DRAWN: C.B			DATE: JAN. 01/2019			9
	L		CHECKED:			DATE:				
ſ	EDA EDA	AC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE:	(IN C.A.D. 1:1)		SHEET	1 (	ЭF	4
YOUR C		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 630-36W4			4640-4N4			ISSUE	
	YOUR CONNECTION TO QUALITY 8	YOUR CONNECTION TO QUALITY & SERVICE		PART NUM	/BER: 63	30-36W4	1640-4N4			1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

11W1 Male/Female

17W2 Male/Female






**ISSUE NUMBER** 


 $\overline{(1)}$ 




5W5 Female








POB EDGE



27W2 Male/Female

21W4 Male/Female



21W1 Male/Female





		SW REFERENCE NO.: 630 COMBO ASSEMBLY					
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019				
		CHECKED:	DATE:				
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 3 OF	4		
	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 630-36V	V4640-4N4	ISSUE		
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-36V	V4640-4N4	1		

PCB EDGE


PCB EDGE

8W8 Female





CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



 THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES
2011/65/EU FOR RoHS COMPLIANCY.



PCB EDGE

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25
















13W3 Male






25W3 Male





24.77

PCB EDGE



31.75

32.00

15.50

2.77

36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

20.70

13.72

PCB EDGE

13W6 Female

.XX ±0.13 .XXX ±0.05

## 43W2 Female



17W5 Male


COMPLIAN














		SW REFERENCE NO.: 630 COMBO ASSEMBLY				
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	019		
				DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 630	)-36W4640-4N4	ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 630	)-36W4640-4N4	1	