







KIT CONTENTS

NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL:

HOUSING: THERMOPLASTIC; COLOR: GREY
WEDGELOCK: THERMOPLASTIC; COLOR: ORANGE SEALS: SILICONE RUBBER
CONTACTS: COPPER ALLOY; NICKEL PLATED

2. SPECIFICATIONS:

- 2.1 CURRENT RATING: 25 AMPS
 2.2 OPERATING TEMPERATURE: -55°C TO +125°C 2.3 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2
- 2.3 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE @ 1500 VOLTS AC.
 2.4 INSULATION RESISTANCE: 1000 MEGOHMS MIN @ 25°C.
 2.5 CONTACT MILLIVOLT DROP: 60 MILLIVOLT DROP
 @ 25 AMP TEST CURRENT.
 2.6 MOISTURE RESISTANCE: IP67 (MATED CONDITION)
 2.7 CONNECTOR MATING CYCLE DURABILITY: 100 CYCLES

- 3. AVAILABLE HAND CRIMPER: CA-5D12
- 4. ALL COMPONENTS ARE RoHS COMPLIANT.
- 5. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

6 WIRE RANGE OF CONTACTS INCLUDED IN KIT: 12 - 14 AWG

7. MATING PART: ATP06-6S* PLUG

8 CONTACT SIZE AND REAR SEAL WIRE RANGE:

CONTACT	MIN. INSUL.	MAX. INSUL.	TYPICAL
SIZE	O.D.	O.D.	WIRE RANGE
12	3.40 mm (.134 in)	4.95 mm (.195 in)	

REFERENCE DIMENSIONS - ASSEMBLED RECEPTACLE

۸.										
6	6	AT60-204-12141			CONTACT, PIN, SOLID, SIZE 12, 12 - 14 AWG 3			3		
	1 AWP-6P				P-WEDGELOCK, 6 POSITION, ATP SERIES 2			2		
	1	ATP04-6P			RECEPTACLE, 6 POSITION, ATP SERIES 1					
	QUANTITY	PART NUMBER			DESCRIPTION			ITEM		
		MATERIALS LIST								
	UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC 40.30. Ill Eractions 41/84		SIGNATURES DATE			mphanal				
			DRAWN:	RO.	3/2/2021	Amphenol				
	1 PL DEC +0.30	I Fractions +1/64		110	JIZ/ZUZ I	J				
	1 PL DEC ±0.30 2 PL DEC ±0.15 3 PL DEC ±0.08	Fractions ±1/64 Angles ±1°	CHECKED:	WS	3/2/2021		e Systems - www.amphenol-sine.com			
	2 PL DEC ±0.15	Angles ±1°	CHECKED: ENGINEER:				e Systems - www.amphenol-sine.com 44724 Morley Drive			
	2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1° = X		WS		Sin	e Systems - www.amphenol-sine.com 44724 Morley Drive Clinton Township, MI 48036			
	2 PL DEC ±0.15 3 PL DEC ±0.08 3) Note reference	Angles ±1° = X	ENGINEER:	WS RO	3/2/2021	Sin	ne Systems - www.amphenol-sine.com 44724 Morley Drive Clinton Township, MI 48036			
	2 PL DEC ±0.15 3 PL DEC ±0.08 3) Note reference	Angles ±1° = X TIONS:	ENGINEER: APPROVAL: CUSTOMER: THIS DRAWING	WS RO WS	3/2/2021 3/2/2021 D FOR SN FFATURES	Sin K RECEPTACI	e Systems - www.amphenol-sine.com 44724 Morley Drive Clinton Township, MI 48036			
	2 PL DEC ±0.15 3 PL DEC ±0.08 3) Note reference	Angles ±1° = X TIONS:	ENGINEER: APPROVAL: CUSTOMER: THIS DRAWING INFORMATION : SPECIFICATION SHOWN HEREC	WS RO WS IS SUPPLIE ONLY. DESIGN AND PER ON ARE THE LOOR PORA THOU ARE IN THE LOOR PORA TOON ARE IN	3/2/2021 3/2/2021 D FOR SN FEATURES, FORMANCE DATA PROPERTY OF ITION, NO RIGHTS MPLIED, ALI.	Sin K RECEPTACI	ne Systems - www.amphenol-sine.com 44724 Morley Drive Clinton Township, MI 48036			