

Specification Sheet

Part Number: FSU16-E



Single-part insert creates smooth entry / exit point for wire and cables.

HelaGuard Metallic Conduit End Cap Insert, Flexible 0.38" (16mm) Dia, NPB Metal, 10/pkg

| | |
|----------------------------|---|
| Article Number | 166-90843 |
| Type | FSU16-E |
| Color | Metal (ML) |
| Quantity Per | pack |
| Product Description | Nickel-plated brass end cap insert creates a smooth bore exit, protecting cables from damage. Twist-in ferrule serves as grounding core for spiral-constructed metallic conduit. Use with FSU, LFHU, FPU, SSU and FU-X series metallic conduit. |
| Short Description | HelaGuard Metallic Conduit End Cap Insert, Flexible 0.38" (16mm) Dia, NPB Metal, 10/pkg |
| Global Part Name | FSU16-E-GS-SR |

| | |
|------------------------------------|-------------------------------------|
| Length L (Imperial) | 0.84 |
| Length L (Metric) | 21.3 |
| Height H (Imperial) | 0.79 |
| Height H (Metric) | 20.0 |
| Nominal Diameter (Imperial) | 0.38 |
| Nominal Diameter (Metric) | 16 |
| Material | Galvanised Steel (GS) |
| Material Shortcut | GS |
| Operating Temperature | -148°F to +572°F (-100°C to +300°C) |
| Package Quantity (Imperial) | 10 |
| Package Quantity (Metric) | 10 |
| Customs Number | 7415290000 |

