



Data sheet | Item number: 756-9501/060-000

Fitted pluggable connector; 4-pole, shielded; M12 plug, straight, D-coded;  
Spring



[www.wago.com/756-9501/060-000](http://www.wago.com/756-9501/060-000)



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

## Data

### Technical data

Connection type	M12 plug
Pole number	4
Connection point (shielded)	yes
Cable connection direction to mating direction	0 °
Connector interface coding (cable/adapter) 1 1	D-coded
Contact resistance	≤3 mΩ

### Connection data

Connection type 1	Spring clamp technology
Solid conductor	0.14 ... 0.5 mm <sup>2</sup> / 20 AWG

### Mechanical Data

Connectable sheathed cable diameter	6 ... 8 mm
Housing material	Zinc die casting, nickel plated
Contact material	CuZn
Contact plating	Gold
Dichtungsmaterial	Seal: Neoprene; O-Ring: Viton
Mating cycles (max.)	100
Weight	4.3 g

### Environmental requirements

Ambient temperature (operation)	-25 ... +85 °C
Protection type	IP67
Note on protection type	in locked position
Pollution degree	3

### Commercial data

eCl@ss 10.0	27-24-26-92
eCl@ss 9.0	27-24-26-92
ETIM 8.0	EC002584
ETIM 7.0	EC002584
PU (SPU)	1 pcs
Packaging type	box

Subject to changes. Please also observe the further product documentation!



Country of origin	DE
GTIN	4045454639921
Customs tariff number	85366990990

## Environmental Product Compliance

CAS-No.	7439-92-1 96-45-7
REACH Candidate List Substance	Ethylene thiourea Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c)
SCIP notification number (Austria)	a9c9d3b7-c3b4-4fa6-99eb-d0c2cc3bb7e4
SCIP notification number (Belgium)	40876bd4-9629-46e4-b474-cbcd107b9f3c
SCIP notification number (Bulgaria)	9144909a-c4d9-4d7d-81b1-1e11e7b0ca4a
SCIP notification number (Czech Republic)	81aa51c0-39f4-4b71-8eea-f8c38cc65d8e
SCIP notification number (Denmark)	30afc5d-a8a2-47ce-96d6-2113f84190ed
SCIP notification number (Finland)	e440f026-b343-472f-87f0-47dbe2cf1f5a
SCIP notification number (France)	b2e640ba-0077-4e57-b563-1947d4f0da75
SCIP notification number (Germany)	47b159a3-260f-4bc6-b298-ce62e9a7ab91
SCIP notification number (Hungary)	95d24dba-849b-4009-b5b2-c0be5ef9815c
SCIP notification number (Italy)	834a39ec-22c3-4c53-8983-1c3a56aba53c
SCIP notification number (Netherlands)	4d586f4b-352e-4d3b-970c-4353b702e292
SCIP notification number (Poland)	86ce8a65-c4ae-4f28-b9fb-0eb79acd868b
SCIP notification number (Romania)	f9365dad-476a-4896-a681-df93db2d6783
SCIP notification number (Sweden)	4218f8b3-343e-4a6f-84bd-16d404391cb9

## Downloads

### CAD/CAE-Data

#### CAE data

WSCAD Universe 756-9501/060-000	URL	Download
WSCAD Universe 756-9501/060-000	URL	Download

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 756-9501/060-000

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 756-9501/060-000

[www.wago.com/756-9501/060-000](http://www.wago.com/756-9501/060-000)



Fitted pluggable connector; 4-pole, shielded; M12 plug, straight, D-coded; Spring

[URL](#)

[Download](#)

## Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.