


PRODUCT NUMBER	PLATING PERFORMANCE LEVEL	PRESS-FIT TAIL PLATING
73981-102	TELCORDIA CO	SnPb
73981-102LF		Sn (SEE NOTE 14)
73981-302	CUSTOMER SPECIAL	SnPb
73981-302LF		Sn (SEE NOTE 14)
73981-902	TELCORDIA CO	SnPb
73981-902LF		Sn (SEE NOTE 14)
73981-902S	CUSTOMER SPECIAL	SnPb
73981-902SLF		Sn (SEE NOTE 14)




mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER	FCj www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ± 0.3	COPY	projection	title RIGHT ANGLE SIGNAL RECEPT. 5 ROW, 30 POSITION
AC	V06-0544	DCH	2006-06-09		0.XX ± 0.10	MM		
AD	V07-0352	HTB	2007-06-05	angles	0.XXX ± 0.050	scale	product family METRAL 1000	code 213
AE	V07-0430	DCH	2007-06-27		0° ± 2°			
AF	V07-0706	HTB	2007-12-10	dr	S. STONER	2000-06-30	size A	sheet 1 of 4
-	-	-	-	engr	W. J. SWAIN	2000-06-14		
AA	V05-0391	DAI	2005-04-25	chr	W. J. SWAIN	2001-05-21	size A	sheet 1 of 4
AB	V05-0405	DAI	2005-05-16	appd	W. J. SWAIN	2001-05-21		
sheet index	revision sheet	AF	AF	AF	AF		cage code 22526	4
		1	2	3	4			

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCj. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCj. Copyright FCj.

PRODUCT NO.
SEE SHEET 1

PRESS-FIT HOLES		
HOLE DIAMETER AFTER PLATING	$\varnothing 0.65 - \varnothing 0.80$ *	$\varnothing 1.53$
DRILLED HOLE	$\varnothing 0.81 - \varnothing 0.86$ ($\varnothing 0.85$ DRILL)	$\varnothing 1.61 - \varnothing 1.66$ ($\varnothing 1.65$ DRILL)
COPPER PLATING	0.025-0.050	0.025-0.050
SnPb PLATING	0.005-0.015	0.005-0.015

*SEE DRAWINGS 58351 FOR OTHER OPTIONS



RECOMMENDED PCB HOLE
PATTERN-COMPONENT SIDE

mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER	FCJ www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ± 0.3	COPY	title	
AF				0.XX ± 0.10	projection		RIGHT ANGLE SIGNAL RECEPT. 5 ROW, 30 POSITION	
				0.XXX ± 0.050	angles			product family METRAL 1000 code
				0° ± 2°	dr	S. STONER	2000-06-30	size
					engr	W. J. SWAIN	2000-06-14	dwg no
					chr	W. J. SWAIN	2001-05-21	73981
					appd	W. J. SWAIN	2001-05-21	sheet
sheet	revision							2
index	sheet							2

cage code 22526



This document is the property of and embodies
 CONFIDENTIAL and PROPRIETARY information of FCJ.
 No part of the information shown on this
 document may be used in any way or disclosed
 to others without the written consent of FCJ.
 Copyright FCJ.

PRODUCT NUMBER
SEE SHEET 1

NOTES

- 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994
- 2. HOUSING MATERIAL: LIQUID CRYSTAL POLYMER, GLASS FILLED, FLAME RETARDANT PER UL94V-0
GROUND SHIELD MATERIAL: COPPER ALLOY
SIGNAL CONTACT MATERIAL: COPPER ALLOY
- 3. PLATING ON PRESS-FIT TAIL AREA: 73981-X02 IS SnPb, 73981-X02LF IS Sn (LEAD FREE)
- 4. Ø2.05 HOLE IS UNPLATED
- 5. Ø1.53 PLATED HOLES (2X) ARE FOR GROUNDS
- 6. AVOID TRACES IN THIS AREA ON TOP OF PCB DUE TO EXPOSED GROUND SHIELD
- 7. UNDERPLATING FOR SHIELD AND SIGNAL CONTACTS IS 1.3 µm Ni MIN
- 8. COMPONENT KEEP OUT ZONE FOR PRESS BLOCK CLEARANCE.
- 9. PRODUCT MARKING: PRODUCT NUMBER, DATE AND LOT CODE.
- 10. SEE GS-20-017 FOR APPLICATION OF CONNECTOR TO PCB.
- 11. PCB THICKNESS RANGE: 1.3mm TO 2.5mm
- 12. SEE PRODUCT SPECIFICATION GS-12-110 FOR PRODUCT PERFORMANCE CHARACTERISTICS.
- 13. THIS GROUND ROW OF VIA-HOLES ONLY REQUIRED FOR PREVIOUS REVISIONS OF THIS DESIGN WHERE THE TOP SHIELDS HAD EON PRESS-FIT. DUE TO INVENTORIES OF PREVIOUS VERSION WE RECOMMEND THEY BE DESIGNED IN.
- 14. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET EUROPEAN DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008. ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260° FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.

A

A



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.


B

B

mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		www.fciconnect.com	
ltr	ecr no.	dr	date	linear	0.X ±0.3	COPY			title RIGHT ANGLE SIGNAL RECEPT. 5 ROW, 30 POSITION
AF					0.XX ±0.10	projection			
					0.XXX ±0.050				
				angles	0° ±2°				
		dr	S. STONER	2000-06-30	MM		product family	METRAL 1000	code
		engr	W. J. SWAIN	2000-06-14			size	dwg no	213
		chr	W. J. SWAIN	2001-05-21	scale		A	73981	sheet
		appd	W. J. SWAIN	2001-05-21	3:1				3
sheet index	revision sheet								




PRODUCT NUMBER
SEE SHEET 1

DISTANCE FROM CONTACT POINT TO BOARD	
CONTACT	DISTANCE
A	12.5
B	16.2
C	19.5
D	22.3
E	25.2



CONTACT POINT AND SKEW

This document is the property of and embodies
 CONFIDENTIAL and PROPRIETARY information of FCJ.
 No part of the information shown on this
 document may be used in any way or disclosed
 to others without the written consent of FCJ.
 Copyright FCJ.

mat'l code SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com		
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		
AF				linear	0.XX ±0.10	projection	 title RIGHT ANGLE SIGNAL RECEPT. 5 ROW, 30 POSITION	
				angles	0.XXX ±0.050	 MM		product family METRAL 1000 code
				dr	S. STONER 2000-06-30	scale		size
				engr	W. J. SWAIN 2000-06-14	3:1	dwg no	
				chr	W. J. SWAIN 2001-05-21		A	
				appd	W. J. SWAIN 2001-05-21		73981	
sheet index	revision sheet						sheet	
							4	

cage code 22526

Pro/E

PDM: Rev:AF

STATUS: Released

Printed: May 13, 2011