


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)

ORIGINAL









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

| COMBINATION D-SUB | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | | |
|--------------------------------------|---|--------------------------------------|------------------|-------|--|
| | | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | | CHECKED: | DATE: | | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 | |
| YOUR CONNECTION TO QUALITY & SERVICE | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 627-5W1-224-3T4 | | ISSUE | |
| | | PART NUMBER: 627-5W1- | -224-3T4 | 1 | |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female






627-5W1-224-3T4


| | | | | | are are |
|---|---|---|--|------------------|---------|
| | 11 | W1 Male/Female | 27W2 Male/Femal | e | |
| 8W8 Fe 47.05 44.48 | $ \begin{array}{c} 53.50 \\ \hline 31.75 \\ \hline 22.63 \\ \hline 22.67 \\ \hline 9^{3} \\ \hline 9^{3} \\ \hline 9^{3} \\ \hline 9^{3} \\ \hline 22.63 \\ \hline 2.64 \\ \hline 7.64 \\ \hline 7.64 \\ \hline 7.64 \\ \hline 7.64 \\ \hline 7.64 \\ \hline 7.64 \\ \hline 7.64 \\ \hline 7.64 \\ \hline 7.64 \\ \hline 7.64 \\ \hline 7.64 \\ \hline $ | W2 Male/Female | 22.70 16.65 22.70 16.75 22.70 16.75 22.70 16.75 22.70 16.75 22.70 20.70 20 | 47.05 | A State |
| 40A / 4.2 | | | | ₩ ₩ ₩ | |
| | | | SW REFERENCE NO.: 627 C | COMBO ASSEMBLY | |
| | COMBINATIO | N D-SUB | DRAWN: C.B | DATE: JAN. 01/20 |)19 |
| | | | CHECKED: | DATE: | |
| THIS SERIES FULLY CONFORMS TO | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND | SCALE: N.T.S | SHEET 3 OF | 4 |
| THE EUROPEAN UNION DIRECTIVES | | | DRAWING NUMBER: 627-5W1 | -224-3T4 | ISSUE |
| 2011/65/EU FOR RoHS COMPLIANCY. | YOUR CONNECTION TO QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION | PART NUMBER: 627-5W1 | -224-3T4 | 1 |


5W5 Male

5W5 Female



8W8 Male





WITHOUT WRITTEN PERMISSION.

TΗ ΤH 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 원 2.77





13W6 Male



43W2 Male








43W2 Female


47W1 Female





17W5 Male











| | COMBINATION D-SUB | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | |
|---------------------------|----------------------------|---|--------------------------------------|------------------|-------|
| | | | DRAWN: C.B | DATE: JAN. 01/20 | 19 |
| | | | CHECKED: | DATE: | |
| NFORMS TO | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: N.T.S | SHEET 4 OF | 4 |
| DIRECTIVES COMPLIANCY. | TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 627-5W1 | -224-3T4 | ISSUE |
| | | | PART NUMBER: 627-5W1 | -224-3T4 | 1 |











.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



THIS SERIES FULLY CONF THE EUROPEAN UNION DI 2011/65/EU FOR RoHS CO COMPLIANT