

NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


.X ±0.25 .XX ±0.13

.XXX ±0.05

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




			SW REFERENCE NO.: 630 COMBO ASSEMBLY				
	COMBINATION D-SUB			DRAWN: C.B		DATE: JAN. 01/2019	
			CHECKED:		DATE:		
	EDAG INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. '	l:1)	SHEET 1 OF	4	
			DRAWING NUMBER: 630-2WK2640-4NB		2640-4NB	ISSUE	
YOUR CONNECTION TO			PART NUMBER:	630-2WK	2640-4NB	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT







THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female



21W4 Male/Female

27W2 Male/Female



ISSUE NUMBER

(1)


ORIGINAL

5W5 Male



PCB EDGE

8W8 Male



PCB EDGE



PCB EDGE

2.77 PCB EDGE

5W5 Female



8W8 Female




PCB EDGE


22.70 2.77 PCB EDGE

21W1 Male/Female




CURRENT RATING /	Ø
10A / 2.2	
20A / 3.3	
30A / 3.7	
40A / 4.2	





Α



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

COMBINATION D-SUB		DRAWN:	C.B
		CHECKED:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE:	N.T.S
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBE	
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	

17W2 Male/Female







THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.


















13W3 Male






25W3 Male






24.77

23.36



36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

13W3 Female

.X ±0.25 .XX ±0.13 .XXX ±0.05

9W4 Female

43W2 Female




17W5 Male


COMPLIANT












20.70

13.72


PCB EDGE



31.75

21.9

PCB EDGE



		SW REFERENCE NO.: 630 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
	EDAC INC TORONTO, ONTARIO CANADA		DRAWING NUMBER: 630-2WK	2640-4NB	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-2WK	2640-4NB	1