



ECO		REV	DESCRIPTION	APPROVED	DATE
—	2		PRODUCTION	MANPREET S.	07-12-18



NOTE: UNLESS OTHERWISE SPECIFIED

1. ALL RESISTORS ARE IN OHMS, 0805.
ALL CAPACITORS ARE IN MICROFARADS, 0805.
2. INSTALL SHUNTS AS SHOWN.

CUSTOMER NOTICE		APPROVALS		ANALOG DEVICES		POWER BY LINEAR		1630 MCCARTHY BLVD. MILPITAS, CA 95035 TEL: (408) 432-1900		
ADI HAS MADE A BEST EFFORT TO DESIGN A CIRCUIT THAT MEETS CUSTOMER-SUPPLIED SPECIFICATIONS; HOWEVER, IT REMAINS THE CUSTOMER'S RESPONSIBILITY TO VERIFY PROPER AND RELIABLE OPERATION IN THE ACTUAL APPLICATION. COMPONENT SUBSTITUTION AND PRINTED CIRCUIT BOARD LAYOUT MAY SIGNIFICANTLY AFFECT CIRCUIT PERFORMANCE OR RELIABILITY. CONTACT ADI APPLICATIONS ENGINEERING FOR ASSISTANCE.										
PCB DES.	KIM T.	www.analog.com		www.linear.com		TITLE: SCHEMATIC				
APP ENG.	MANPREET S.	28V/ 7A IDEAL DIODE AND SWITCH WITH REVERSE PROTECTION								
THIS CIRCUIT IS PROPRIETARY TO ADI AND SUPPLIED FOR USE WITH ADI PARTS.		SCALE = NONE	DATE:	Thursday, July 12, 2018	SIZE	N/A	IC NO.	LTC4376IDHD DEMO CIRCUIT 2706A	REV.	2
								SHEET 1 OF 1		