ASSOCIATION CONNECTING	© Copyright 2005. IPC, international and Pan-Ar	Bannockb	ourn, Illinois. A	.ll rights reserved u ntions.	nder both	This docume level parts, t	ent is a declarat	ion of the s encompasse	ubstances s all lower	within the manufactur r level materials for w	rer listed i hich the n	tem. Note: it nanufacturer	f the item is an as has engineering	ssembly with lower responsibility.
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
Supplier Inform	ation													
Company name*			Company unique ID			-	Unique ID Authority				Response Date*			
onsemi											2023-06-08			
Contact Name			Title - Contact				Phone - Contact*				Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative				Phone - Representative*			Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Requeste	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Date	Version	Version Manufacturing Site			Weight*	UOM	Unit Type
		MT9V11 CR1	MT9V115EBKSTC- VGA 1/13CIS SO CR1		C		2023-06-08 CP		CP2		10.793	mg	Each	
Manufacturing]	Proccess Information	1												
Terminal Plating / Grid Array Material Ter			erminal Base Alloy J-STD-020 MSL			L Rating	Peak Process Body Temperature Max Time at Pea			k Temperature Number of Reflow Cycles				
SnAgCu CU			CU Alloy	Alloy 3			260 C		С	30	secon	ds 3		
Comments														
ATTENTION: MSL	3 Rated item requires Ba	ake and D	ry Pack (after	electrical test)										
for more informatio	on regarding material con	position	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	1.69	mg		Misc.	proprietary data		0.0064	mg
			Supplier	Silicon (Si)	7440-21-3		1.6668	mg
			Supplier	Aluminum (Al)	7429-90-5		0.0167	mg
Die Attach	0.16	mg	Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		0.096	mg
			Supplier	Epoxy resins	129915-35-1		0.032	mg
			Supplier	Acrylic resins	Proprietary Data		0.032	mg
Electrode	0.18	mg	Supplier	Titanium (Ti)	7440-32-6		0.0001	mg
			В	Nickel (Ni)	7440-02-0		0.1072	mg
			Supplier	Gold (Au)	7440-57-5		0.0043	mg
			Supplier	Copper (Cu)	7440-50-8		0.0027	mg
			Supplier	Aluminum (Al)	7429-90-5		0.0657	mg
Glass Lid /Cap	7.9	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		1.1218	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		3.95	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		1.896	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.869	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		0.0079	mg
			В	Arsenic Trioxide (As2O3)	1327-53-3		0.0553	mg
Lid Attach	0.003	mg		Photoinitiator	proprietary data		0.0008	mg
			Supplier	Epoxy Prepolymer	Proprietary Data		0.0022	mg
Solder Ball	0.14	mg	Supplier	Silver (Ag)	7440-22-4		0.0107	mg
			Supplier	Tin (Sn)	7440-31-5		0.1261	mg
			Supplier	Copper (Cu)	7440-50-8		0.0032	mg
Substrate and Solder Mask	0.72	mg	Supplier	Silica crystalline	14808-60-7, 14464- 46-1		0.072	mg
			Supplier	Cured Resin of Solder Mask	Proprietary Data		0.342	mg
			Supplier	Bismaleimide Triazine resin	Proprietary Data		0.306	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).