


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE	NUMBER

ORIGINAL

(1)






NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING






SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms



				SW REFERENCE NO.: 627 COMBO ASSEMBLY			
COMBIN	COMBINATION D-SUB		DATE: JAN. 01/20	19			
			DATE:				
EDAC IN	C THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4			
	A OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-21W4622-3T2		ISSUE			
YOUR CONNECTION TO QUALITY & SE	RVICE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 627-21W	4622-3T2	1			



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



 $\overline{(1)}$

2W2 / 2WK2

5W5 Female

COMPLIANT

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



27W2 Male/Female




21W1 Male/Female



SW REFERENCE NO.:				OMBO ASSEMBLY	
COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE	SCALE: N.T.S	SHEET 3 OF	4	
		DRAWING NUMBER: 627-21W	4622-3T2	ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 627-21W	4622-3T2	1

5W5 Male 47.0/ 23.53



47.05


23.53

8W8 Male


8W8 Female

31.75

22.83



22.97




11W1 Male/Female



17W2 Male/Female

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25



25W3 Female

36W4 Female



9W4 Male


23.53 14.51 9.70 집 역

25W3 Male



47.02 23.53 14.51 9.70 7.79 경영









13W3 Male




36W4 Male





30.50 20.70 16.62 13.72 2.77

13W6 Male



43W2 Male






17W5 Female

.XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female







47W1 Female




17W5 Male











	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/201	9
			CHECKED:	DATE:	
NFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 4 OF	4
DIRECTIVES COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-21W	4622-3T2	ISSUE
			PART NUMBER: 627-21W	4622-3T2	1



THIS SERIES FULLY CONF THE EUROPEAN UNION DI 2011/65/EU FOR RoHS CO

