ASSOCIATION CONNECTING	■ Material Composit © Copyright 2005. IPC, international and Pan-Art	Bannockb	urn, Illinois. A	ll rights reserved nations.	inder both	This docume level parts, t	ent is a declarat he declaration e	on of the su	ibstances v s all lower	vithin the manufactule level materials for v	urer listed which the	item. Note manufactu	: if the item is an as rer has engineering	ssembly with low responsibility.	
752-21.1					Form Type Distribute	*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
Supplier Informa	ation														
Company name*			Company uni	Company unique ID			Unique ID Authority				Respor	Response Date*			
onsemi											2023-0	2023-06-08			
Contact Name			Title - Contact]	Phone - Contact*				Email	Email - Contact*			
Product-Env-Stewards			Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative]	Phone - Representative*				Email	Email - Representative*			
Product-Env-Stewards			Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com			
Requester	equester Item Number Mfr Item		n Number Mfr Item Name				Effective Date Version Manufacturin		Ianufacturing Site		Weight*	UOM	Unit Type		
		FAN650	N65005A Wide VIN 8A		70V Buck		2023-06-08		P	PBB		94.0	mg	Each	
Ianufacturing P	Proccess Information	n													
Terminal Plating / Grid Array Material Ter		erminal Base Alloy J-STD-020 MSI		L Rating	Peak Proc	Peak Process Body Temperat		ure Max Time at Peak Temp		ture Nur	nber of Reflow Cy	cles			
Matte Tin (Sn) - annealed			CU Alloy	Alloy 1			260	260 C		30 seco		seconds 3			
omments															
vel 1 - maximum tin	me at peak temperature o	luring sol	dering is 10-3	0 seconds											
or more information	n regarding material con	position	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chro	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 4 - Item(s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).									
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the							
Supplier Digital Signature	astislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	2.3	mg	Supplier	Zinc (Zn)	7440-66-6		0.0028	mg
			Supplier	Iron (Fe)	7439-89-6		0.054	mg
			Supplier	Copper (Cu)	7440-50-8		2.2425	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0007	mg
Die	1.1	mg	Supplier	Silicon (Si)	7440-21-3		1.1	mg
Ероху	0.1	mg	Supplier	Titanium Dioxide (TiO2)	13463-67-7		0.008	mg
			Supplier	Proprietary	Proprietary Data		0.009	mg
			Supplier	Bismaleimide	13676-54-5		0.027	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.001	mg
			Supplier	PTFE	9002-84-0		0.055	mg
Lead Frame	40.9	mg	Supplier	Zinc (Zn)	7440-66-6		0.0491	mg
			Supplier	Iron (Fe)	7439-89-6		0.9611	mg
			Supplier	Copper (Cu)	7440-50-8		39.8775	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0123	mg
Iold Compound-Black	42.5	mg	Supplier	Carbon Black (C)	1333-86-4		0.2125	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		37.1875	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		2.55	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		2.55	mg
lating	3.4	mg	Supplier	Tin (Sn)	7440-31-5		3.4	mg
older Paste	3.4	mg	Supplier	Silver (Ag)	7440-22-4		0.085	mg
			A	Lead (Pb)	7439-92-1	7a	3.145	mg
			Supplier	Tin (Sn)	7440-31-5		0.17	mg
Wire Bond - Cu	0.3	mg	Supplier	Copper (Cu)	7440-50-8		0.3	mg