

## Product Change Notification – Major change

<b>PCN #:</b> PCN22-0075	<b>Rev:</b> 1.0	<b>Issue Date:</b> August 18, 2022
<p><b>Purpose of notification:</b> Improved firmware with improved Power-Fail behavior for new design ins and product line maintenance</p> <p><b>Type of notification:</b> Major change</p>		
<p><b>Detailed Description:</b></p> <p>This product change notification is to inform you about a firmware update for the N-2xm2 product series, which uses firmware <b>AxT60Q</b> (TLC-mode) / <b>CxT60Q</b> (pSLC-mode)</p> <p>Firmware <b>AxU7CQ</b> (TLC-mode) / <b>CxU7CQ</b> (pSLC-mode) improvements:</p> <p>Protocol NVMe:</p> <ul style="list-style-type: none"> <li>• Improve thermal monitoring</li> <li>• Do not update the current power state after a set feature command with invalid NSID</li> <li>• Implement NMVe 1.3d update: Set features command with FID=0x03 (Set LBA range) and NSID=0xFFFFFFFF is aborted with invalid field status</li> <li>• Adjust entry and exit latencies in power state descriptor for PS3 and PS4</li> </ul> <p>Flash Handling:</p> <ul style="list-style-type: none"> <li>• Firmware Improvement for repeated sudden power off during boot up routine (until device signals ready)</li> </ul> <p>Swissbit has completed its internal testing and has qualified the new firmware to ensure full compatibility. We recommend to switch to the new firmware models.</p>		
<p><b>Quality impact:</b> No impact</p>		
<p><b>Reliability impact:</b> Improved</p>		

## Product Change Notification – Major change

Product series affected:		
Series	Part Number	New Part Number
N-20m2 (2230)	SFPCdddMgECxT0-t-xx-A16-STD	SFPCdddMgECxT0-t-xx-A26-STD
N-20m2 (2242)	SFPCdddMgECxT0-t-xx-116-STD	SFPCdddMgECxT0-t-xx-126-STD
N-20m2 (2280)	SFPCdddMgECxT0-t-xx-516-STD	SFPCdddMgECxT0-t-xx-526-STD
N-26m2 (2230)	SFPCdddMgECxT0-t-xx-A1P-STD	SFPCdddMgECxT0-t-xx-A2P-STD
N-26m2 (2242)	SFPCdddMgECxT0-t-xx-11P-STD	SFPCdddMgECxT0-t-xx-12P-STD
N-26m2 (2280)	SFPCdddMgECxT0-t-xx-51P-STD	SFPCdddMgECxT0-t-xx-52P-STD

d = drive capacity; g = generation, t = temperature grade C or I; x = configuration and options; z = standard or customer specific

**Implementation date:** August 2022  
 Products with new firmware can be ordered immediately. Products with old firmware remain orderable for approved customer applications under the condition that the host system and its behavior does not change (Hardware, Software, Workload, etc.). However, it is recommended to switch to the new FW for highest reliability.

**Recommended action:** Qualify new item with improved FW to ensure highest reliability in host system

**IMPORTANT NOTE:**  
*Swissbit – as a provider of industrial products – announces and informs about every change in the product hardware and firmware. We always test backwards compatibility and assure best quality, reliability and transparency for our customers. We apologize for any inconvenience caused.*

## Product Change Notification – Major change

**Products affected:**

Series	Part Number	New Part Number
N-20m2 (2230)	SFPC015GM1EC1T0-I-5E-A16-STD	SFPC015GM1EC1T0-I-5E-A26-STD
	SFPC030GM1EC1T0-I-5E-A16-STD	SFPC030GM1EC1T0-I-5E-A26-STD
	SFPC060GM1EC2T0-I-5E-A16-STD	SFPC060GM1EC2T0-I-5E-A26-STD
	SFPC120GM1EC4T0-I-5E-A16-STD	SFPC120GM1EC4T0-I-5E-A26-STD
	SFPC240GM1EC4T0-I-6F-A16-STD	SFPC240GM1EC4T0-I-6F-A26-STD
N-26m2 (2230)	SFPC005GM1EC1T0-I-5E-A1P-STD	SFPC005GM1EC1T0-I-5E-A2P-STD
	SFPC010GM1EC1T0-I-5E-A1P-STD	SFPC010GM1EC1T0-I-5E-A2P-STD
	SFPC020GM1EC2T0-I-5E-A1P-STD	SFPC020GM1EC2T0-I-5E-A2P-STD
	SFPC040GM1EC4T0-I-5E-A1P-STD	SFPC040GM1EC4T0-I-5E-A2P-STD
	SFPC080GM1EC4T0-I-6F-A1P-STD	SFPC080GM1EC4T0-I-6F-A2P-STD
N-20m2 (2242)	SFPC015GM1EC1T0-I-5E-116-STD	SFPC015GM1EC1T0-I-5E-126-STD
	SFPC030GM1EC1T0-I-5E-116-STD	SFPC030GM1EC1T0-I-5E-126-STD
	SFPC060GM1EC2T0-C-5E-116-STD	SFPC060GM1EC2T0-C-5E-126-STD
	SFPC060GM1EC2T0-I-5E-116-STD	SFPC060GM1EC2T0-I-5E-126-STD
	SFPC120GM1EC4T0-C-5E-116-STD	SFPC120GM1EC4T0-C-5E-126-STD
	SFPC120GM1EC4T0-I-5E-116-STD	SFPC120GM1EC4T0-I-5E-126-STD
	SFPC240GM1EC4T0-C-6F-116-STD	SFPC240GM1EC4T0-C-6F-126-STD
SFPC240GM1EC4T0-I-6F-116-STD	SFPC240GM1EC4T0-I-6F-126-STD	
N-26m2 (2242)	SFPC005GM1EC1T0-C-5E-11P-STD	SFPC005GM1EC1T0-C-5E-12P-STD
	SFPC005GM1EC1T0-I-5E-11P-STD	SFPC005GM1EC1T0-I-5E-12P-STD
	SFPC010GM1EC1T0-C-5E-11P-STD	SFPC010GM1EC1T0-C-5E-12P-STD
	SFPC010GM1EC1T0-I-5E-11P-STD	SFPC010GM1EC1T0-I-5E-12P-STD
	SFPC020GM1EC2T0-C-5E-11P-STD	SFPC020GM1EC2T0-C-5E-12P-STD
	SFPC020GM1EC2T0-I-5E-11P-STD	SFPC020GM1EC2T0-I-5E-12P-STD
	SFPC040GM1EC4T0-C-5E-11P-STD	SFPC040GM1EC4T0-C-5E-12P-STD
	SFPC040GM1EC4T0-I-5E-11P-STD	SFPC040GM1EC4T0-I-5E-12P-STD
	SFPC080GM1EC4T0-C-6F-11P-STD	SFPC080GM1EC4T0-C-6F-12P-STD
	SFPC080GM1EC4T0-I-6F-11P-STD	SFPC080GM1EC4T0-I-6F-12P-STD

## Product Change Notification – Major change

<p>N-20m2 (2280)</p>	<p>SFPC015GM1EC1T0-I-5E-516-STD  SFPC030GM1EC1T0-I-5E-516-STD  SFPC060GM1EC2T0-I-5E-516-STD  SFPC120GM1EC4T0-I-5E-516-STD  SFPC120GM1EC4T0-C-5E-516-STD  SFPC240GM1EC4T0-I-6F-516-STD  SFPC240GM1EC4T0-C-6F-516-STD</p>	<p>SFPC015GM1EC1T0-I-5E-526-STD  SFPC030GM1EC1T0-I-5E-526-STD  SFPC060GM1EC2T0-I-5E-526-STD  SFPC120GM1EC4T0-I-5E-526-STD  SFPC120GM1EC4T0-C-5E-526-STD  SFPC240GM1EC4T0-I-6F-526-STD  SFPC240GM1EC4T0-C-6F-526-STD</p>
<p>N-26m2 (2280)</p>	<p>SFPC005GM1EC1T0-I-5E-51P-STD  SFPC010GM1EC1T0-I-5E-51P-STD  SFPC020GM1EC2T0-I-5E-51P-STD  SFPC040GM1EC4T0-I-5E-51P-STD  SFPC080GM1EC4T0-I-6F-51P-STD</p>	<p>SFPC005GM1EC1T0-I-5E-52P-STD  SFPC010GM1EC1T0-I-5E-52P-STD  SFPC020GM1EC2T0-I-5E-52P-STD  SFPC040GM1EC4T0-I-5E-52P-STD  SFPC080GM1EC4T0-I-6F-52P-STD</p>