






DATE

DESCRIPTION

REV.

## MOUNTING PAD LAYOUT



ACTUAL SIZE

**KEYSTONE ELECTRONICS CORP.**

www.keystone.com • NEW HYDE PARK, NY 11040 • Tel (516) 328-7500

PART NAME

THM BATTERY HOLDER, (2) CR123A

MATERIAL

AS NOTED

FINISH

AS NOTED

TOLERANCES	INCH	[MM]
DECIMAL	± .010	[± 0.25]
ANGULAR	± 1°	

CODE	DESCRIPTION
C	

DRN BY	DATE
NT	12.31.14

App'D	SCALE
LN	2X

DWG NO.
1055

## NOTE:

- BASE:  
MATL: HEAT RESISTANCE NYLON (UL94V-0)  
STANYL 46 OR EQUIVALENT
- CONTACT POSITIVE :  
MATL: .012 [0.30] THK STAINLESS STEEL  
FINISH: NICKEL PLATE
- CONTACT NEGATIVE :  
BASE MATL: .012 [0.30] THK STAINLESS STEEL  
FINISH: NICKEL PLATE  
SPRING: .020 DIA. MUSIC WIRE, NICKEL PLATE  
SPRING EYELETED TO BASE

THIS DOCUMENT IS THE PROPERTY OF  
KEYSTONE ELECTRONICS CORP. AND  
SHALL NOT BE REPRODUCED, DISTRIBUTED  
OR USED AS A BASIS FOR MANUFACTURE  
WITHOUT PRIOR WRITTEN PERMISSION  
FROM KEYSTONE ELECTRONICS CORP.