



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

Å	


**ISSUE NUMBER** ORIGINAL

(1)





## NOTES:




MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


	COMBINATION D-SUB		SW REFERENCE NO.: 627 C	COMBO ASSEMBLY	
			DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
	EDAG INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	TORONTO, ONTARIO CANADA TORONTO, ONTARIO CANADA TORONTO, ONTARIO CANADA TORONTO, ONTARIO CANADA TORONTO, ONTARIO CANADA TORONTO, ONTARIO CANADA TORONTO, ONTARIO CANADA TORONTO, ONTARIO CANADA TORONTO, ONTARIO CANADA TORONTO, ONTARIO CANADA	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
			DRAWING NUMBER: 627-13W	3624-4TE	ISSUE
			PART NUMBER: 627-13W	3624-4TE	1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

3W3 / 3WK3



7W2 Male/Female





 $\overline{(1)}$ 

21W4 Male/Female



27W2 Male/Female




21W1 Male/Female

16.5

	COMBINATION D-SUB		OMBO ASSEMBLY	
COMBINATION			DATE: JAN. 01/20	19
			DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE: N.T.S	SHEET 3 OF	4
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-13W	3624-4TE	ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 627-13W	3624-4TE	1

5W5 Male

5W5 Female



47.05

23.53

8W8 Male


8W8 Female

31.75


22.83



22.97



11W1 Male/Female



17W2 Male/Female

CURRENT RATING / ØA 10A / 2.2 20A / 3.3

> 30A / 3.7 40A / 4.2



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.



25W3 Female


36W4 Female






25W3 Male







23.53 9.70 14.5 7.79









13W3 Male









30.50 20.70 16.62 13.72 2.77

13W6 Male



43W2 Male






17W5 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female







47W1 Female




17W5 Male



47W1 Male









627-13W3624-4TE

627-13W3624-4TE

DATE:

SHEET 4

OF 4

ISSUE

1

<b>R#HS</b>	
COMPLIANT	

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

COMBINATION	D-SUB
EDAC INC TORONTO, ONTARIO CANADA ) QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

CHECKED:

SCALE: N.T.S

PART NUMBER:

DRAWING NUMBER: