



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

Å

ISS	UE NUMBER
ORIGINAL	

(1)






NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING






 $\label{eq:signal_contact_current rating: 5A per contact} $$ Signal contact resistance: 10m $$ Max.$$ INSULATOR RESISTANCE: 5000M $$ min.$$ DIELECTRIC$$ WITHSTANDING VOLTAGE: 1000V $$ AC rms$$ The second second$



				SW REFERENCE NO.: 627 COMBO ASSEMBLY				
	-		COMBINATION D-SUB DRAWN: C.B		DATE: JAN. 01/2019			
			CHECKED:		DATE:			
	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:	:1)	SHEET 1 O	F 4		
			DRAWING NUMBER: 627-21W		4624-5N3	ISSUE		
YOUR CONNECTION TO			PART NUMBER:	627-21W	4624-5N3	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

3W3 / 3WK3



7W2 Male/Female





 $\overline{(1)}$

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female


16.5

			SW REFERENCE NO.: 627 COMBO ASSEMBLY				
COMBINA	COMBINATION D-SUB			С.В	DATE: JAN. 01	/2019	
			CHECKED:		DATE:		
EDAC IN	THESE DRAWINGS AND SPECI ARE THE PROPERTY OF EDAC		SCALE: N.	T.S	SHEET 3	DF 4	
	ARIO SHALL NOT BE REPRODUCED, OR USED AS THE BASIS FOR T		DRAWING NU	JMBER: 627-21W4	4624-5N3	ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE	/ICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBE	ER: 627-21W4	4624-5N3	1	

5W5 Male

5W5 Female

COMPLIANT



47.05


23.53

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. 8W8 Male

8W8 Female

31.75

22.83



22.97




11W1 Male/Female



17W2 Male/Female

CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25



25W3 Female


36W4 Female





25W3 Male






47.02 23.53 14.51 9.70 1 82 7.79 33


.XX ±0.13 .XXX ±0.05

9W4 Female


13W3 Female








13W3 Male






20.70 30.60 13.72 16.62 15.24



30.50 20.70 16.62 13.72



13W6 Male



43W2 Male






17W5 Female




43W2 Female

47W1 Female





17W5 Male

COMPLIANT



47W1 Male





22.16 20.78 2.77

		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
				DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 627-21W	4624-5N3	ISSUE
			PART NUMBER: 627-21W	4624-5N3	1

