



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

| COMBINATION D-SUB | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | | |
|--------------------------------------|--|--------------------------------------|------------------|-------|--|
| | | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | | | DATE: | | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 | |
| YOUR CONNECTION TO QUALITY & SERVICE | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER: 627-3W3-222-3T2 | | ISSUE | |
| | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: 627-3W3 | -222-3T2 | 1 | |





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male

5W5 Female

47,05

. 18

23.53


3W3 / 3WK3

8W8 Male




7W2 Male/Female





21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

| | | | , yyu-, + , 2.77 | |
|-------------------------------------|------------|------------------|--|----------|
| | | 11W | 1 Male/Female | |
| | 8W8 Female | | 33.30 | |
| 47.06 23.63 14.49 0.68 | | | | |
| | | 17W2 | 2 Male/Female | |
| CURRENT RATIN 10A / 2.2 | | | | |
| 20A / 3.3 30A / 3.7 40A / 4.2 | | 27 27 | | |
| | | | | SW REFER |
| | | COMBINATION | I D-SUB | DRAWN: |
| | | | | CHECKED |
| RIES FULLY CONFORMS TO | | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: |
| ROPEAN UNION DIRECTIVES | | TORONTO, ONTARIO | SHALL NOT BE REPRODUCED, OR COPIED | DRAWING |

63.50

22.83

31.78

22.97

THIS SERI THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

| COMBINATION D-SUB | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | | |
|--------------------------------------|---|--------------------------------------|------------------|-------|--|
| | | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | | CHECKED: | DATE: | | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: N.T.S | SHEET 3 OF | 4 | |
| YOUR CONNECTION TO QUALITY & SERVICE | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 627-3W3-222-3T2 | | ISSUE | |
| | | PART NUMBER: 627-3W3 | -222-3T2 | 1 | |

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25






9W4 Male



25W3 Male











13W3 Male


3











13W6 Male




43W2 Male






17W5 Female



43W2 Female

47W1 Female

36W4 Female



17W5 Male


COMPLIANT






2.77





.....



| | COMBINATION D-SUB | | SW REFERENCE NO.: 627 COMBO ASSEMBLY | | |
|---|--|--|--------------------------------------|------------------|-------|
| | | | DRAWN: C.B | DATE: JAN. 01/20 |)19 |
| | | | CHECKED: | DATE: | |
| THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. | EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 |
| | | | DRAWING NUMBER: 627-3W3 | -222-3T2 | ISSUE |
| | | | PART NUMBER: 627-3W3 | -222-3T2 | 1 |



.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female