


TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.

Å



(1)





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


.X ±0.25 .XX ±0.13

.XXX ±0.05

 $\label{eq:signal_contact_current rating: 5A per contact} \\ \mbox{Signal_contact resistance: 10m} Ω MAX. \\ \mbox{Insulator resistance: 5000M} Ω min. \\ \mbox{Dielectric} \\ \mbox{Withstanding voltage: 1000V AC rms} \\ \mbox{Insulator resistance: 1000V AC rms} \\ \mbox{Insulator resist$




| | COMBINATION D-SUB | | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | | |
|--------------------|----------------------------|--|----------|--------------------------------------|--------------------|-------|--|--|
| | | | | C.B | DATE: JAN. 01/2019 | | | |
| | | | | : | DATE: | | | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: | (IN C.A.D. 1:1) | SHEET 1 OF | 4 | | |
| | TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING | NUMBER: 630-5W1 | -640-7N6 | ISSUE | | |
| YOUR CONNECTION TO | QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUN | /BER: 630-5W1 | -640-7N6 | 1 | | |





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female






ISSUE NUMBER

ORIGINAL

 $\overline{(1)}$

5W5 Male




PCB EDGE

8W8 Male



PCB EDGE




PCB EDGE

2.77


27W2 Male/Female

21W4 Male/Female



PCB EDGE


21W1 Male/Female



| Γ | | | | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | | |
|---|--------------------|--|---|-----------------|--------------------------------------|--------------------|------|-----|-----|
| | COMBINATION D-SUB | | | DRAWN: C.B | | DATE: JAN. 01/2019 | | | |
| | | | | CHECKED: | | DATE: | | | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: N.T.S | | SHEET | 3 (| DF 4 | | |
| | | TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: | 630-5W1- | -640-7N6 | | ISS | SUE |
| | YOUR CONNECTION TO | QUALITY & SERVICE | | PART NUMBER: | 630-5W1- | -640-7N6 | | 1 | 1 |




COMPLIANT



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.
















PCB EDGE



11W1 Male/Female

7W2 Male/Female



TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male





 .X
 ±0.25

 .XX
 ±0.13

 .XXX
 ±0.05

9W4 Female



31.75

21.9

36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

24.77

23.3

43W2 Female




17W5 Male


COMPLIANT













20.70

13.72

PCB EDGE



PCB EDGE



| | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | |
|---|--|--|--------------------------|------------|-------|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | |
| | | CHECKED: | DATE: | | |
| THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S | SHEET 4 OF | 4 |
| | EDAC INC TORONTO, ONTARIO CANADA | | DRAWING NUMBER: 630-5W1- | -640-7N6 | ISSUE |
| | YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 630-5W1- | 1 | |