ASSOCIATION CONN ELECTRONICS INDU	© Copyright 2005. IPC, international and Pan-Art	Bannockb	urn, Illinois. A	ll rights reserved un tions.	nder both	This docum level parts, t	ent is a declara the declaration	ion of the s encompasse	ubstances es all lower	within the manufactur r level materials for w	rer listed	tem. Note: i nanufacturer	f the item is an as has engineering	ssembly with lower responsibility.	
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					ials and N	als and Mfg Information				
Supplier Inf	cormation														
Company name*			Company unique ID				Unique ID Authority					Response Date*			
onsemi											2023-06-08				
Contact Name		Title - Contact				Phone - Contact*				Email -	Email - Contact*				
Product-Env-S	Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Authorized Rep	presentative*	Title - Representative				Phone - Representative*				Email -	Email - Representative*				
Product-Env-S	Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
Req	Requester Item Number Mfr Item		n Number Mfr Item Name				Effective Date	Date Version Manufacturing Site			Weight*	UOM	Unit Type		
		LC75813	C75813T-E LCD DISPLAY DRI		RIVER		2023-06-08		F	РΗМ		500.0	mg	Each	
Manufactur	ing Proccess Information	1													
Term	Terminal Plating / Grid Array Material Terr		rminal Base Alloy J-STD-020 MSI		L Rating	Peak Process Body Temperature		e Max Time at Peak	Tempera	ture Numb	er of Reflow Cy	cles			
contains Bi CU Al			U Alloy	Alloy 3			260 C 30			30	seconds 3				
Comments															
ATTENTION:	MSL 3 Rated item requires Ba	ike and D	ry Pack (after	electrical test)											
For more inform	mation regarding material com	position r	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	7.25	mg	Supplier	Silicon (Si)	7440-21-3		7.25	mg
Die Attach	1.75	mg	Supplier	Silver (Ag)	7440-22-4		1.2425	mg
			Supplier	Epoxy resins	129915-35-1		0.5075	mg
Lead Frame	150.94	mg	Supplier	Silver (Ag)	7440-22-4		0.9358	mg
			Supplier	Zinc (Zn)	7440-66-6		0.1875	mg
			Supplier	Iron (Fe)	7439-89-6		3.5251	mg
			Supplier	Copper (Cu)	7440-50-8		146.1679	mg
			Supplier	Phosphorus (P)	7723-14-0		0.1238	mg
Mold Compound-Black	335.16	mg		Organic Phosphorus compound	proprietary data		4.6922	mg
			Supplier	Epoxy Phenol Resin	Proprietary Data		27.4831	mg
			Supplier	Carbon Black (C)	1333-86-4		0.6703	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		302.3143	mg
Plating	0.5	mg	В	Bismuth (Bi)	7440-69-9		0.003	mg
			Supplier	Tin (Sn)	7440-31-5		0.497	mg
Wire Bond - Au	4.4	mg	Supplier	Gold (Au)	7440-57-5		4.4	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).