



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


(1)











MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-5W1-224-7TC		ISSUE
			PART NUMBER: 627-5W1	-224-7TC	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



 $\overline{(1)}$

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



27W2 Male/Female



21W1 Male/Female



	SW REFERENCE NO.: 627 COMBO ASSEMBLY			
COMBINATION D-SUB	DRAWN: C.B DATE: JAN. 01/2019			
	CHECKED: DATE:			
EDAC INC THESE DRAWINGS AND SPECIFICATIONS	SCALE: N.T.S SHEET 3 OF 4			
TORONTO, ONTARIO CANADA OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627-5W1-224-7TC ISSUE			
R CONNECTION TO QUALITY & SERVICE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 627-5W1-224-7TC 1			

5W5 Male

5W5 Female




47.00


23.53

8W8 Male






11W1 Male/Female



17W2 Male/Female




THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT




CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7
















THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female




13W3 Male





20.70 30.50 13.72 16.62 김 의 2.77





13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female




43W2 Female

47W1 Female




17W5 Male


COMPLIANT











				SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:			
ONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4		
N DIRECTIVES COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 627-5W1-224-7TC		ISSUE		
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-5W1	-224-7TC	1		

THIS SERIES FULLY COM THE EUROPEAN UNION 2011/65/EU FOR RoHS C