



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


(1)











MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

|  |                                      | SW REFERENCE NO.: 628 COMBO ASSEMBLY   |                                 |                  |       |
|--|--------------------------------------|--|---------------------------------|------------------|-------|
|  | COMBINATION D-SUB                    |  | DRAWN: C.B                      | DATE: JAN. 01/20 | 19    |
|  |                                      |  | CHECKED:                        | DATE:            |       |
|  | EDAC INC                             | THESE DRAWINGS AND SPECIFICATIONS<br>ARE THE PROPERTY OF EDAC INC.,AND<br>SHALL NOT BE REPRODUCED,OR COPIED<br>OR USED AS THE BASIS FOR THE<br>MANUFACTURE OR SALE OF APPARATUS<br>WITHOUT WRITTEN PERMISSION. | SCALE: (IN C.A.D. 1:1)          | SHEET 1 OF       | 4     |
|  | YOUR CONNECTION TO QUALITY & SERVICE |  | DRAWING NUMBER: 628-3W3-224-5TA |                  | ISSUE |
|  |                                      |  | PART NUMBER: 628-3W3            | -224-5TA         | 1     |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

3W3 / 3WK3

8W8 Male

63.50


31.76

22.97




7W2 Male/Female






21W4 Male/Female



27W2 Male/Female



/Female

16.52

|  |                                 |   | '           |  |
|--|---------------------------------|---|-------------|--|
|  |                                 | 11W1 Male/Female  | 27          |  |
| 23.03<br>14.49<br>14.49<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0<br>0 | 8W8 Female                      |   | 485 - 1 - 1 |  |
| CURRENT RATING   | G/ ØA                           | 17W2 Male/Female  | 21          |  |
| 10A / 2.2<br>20A / 3.3<br>30A / 3.7<br>40A / 4.2   |                                 | 47.00<br>23.63<br>15.86<br>   |             |  |
|  |                                 |   |             |  |
|  | COMBIN                          | ATION D-SUB   | DRAWN: C    |  |
| THIS SERIES FULLY CONFORMS TO  |                                 | IC THESE DRAWINGS AND SPECIFICATIONS<br>ARE THE PROPERTY OF EDAC INC.,AND | SCALE: N.   |  |
| THE EUROPEAN UNION DIRECTIVES<br>2011/65/EU FOR R₀HS COMPLIANCY.                         |                                 | A SHALL NOT BE REPRODUCED, OR COPIED<br>OR USED AS THE BASIS FOR THE      | DRAWING NU  |  |
|  | YOUR CONNECTION TO QUALITY & SE | RVICE MANUFACTURE OR SALE OF APPARATUS                                    |             |  |

| ф- | 17W2 Male/Female                        |             |  | 21W1 Male/I |            |
|----|---|-------------|--|-------------|------------|
|    |   |             |  | SW REFEF    | RENCE NO.: |
|    |   | COMBINATION | D-SUB  | DRAWN:      | C.B        |
|    | Z S S S S S S S S S S S S S S S S S S S | :           |  |             |            |
|    |   | EDAC INC    | THESE DRAWINGS AND SPECIFICATIONS<br>ARE THE PROPERTY OF EDAC INC. AND | SCALE:      | N.T.S      |




WITHOUT WRITTEN PERMISSION.

| - |                          |                    |  |  |
|---|--------------------------|--------------------|--|--|
|   | SW REFERENCE NO.: 628 C  | OMBO ASSEMBLY      |  |  |
|   | DRAWN: C.B               | DATE: JAN. 01/2019 |  |  |
|   | CHECKED:                 | DATE:              |  |  |
|   | SCALE: N.T.S             | SHEET 3 OF 4       |  |  |
|   | DRAWING NUMBER: 628-3W3- | -224-5TA ISSUE     |  |  |
|   | PART NUMBER: 628-3W3-    | -224-5TA 1         |  |  |

## 5W5 Female

COMPLIANT

5W5 Male



47.05

. 18

23.53

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25

23.53

14.51

7.79

9.70






9W4 Male



25W3 Male



47.02

9W4 Female

김 영

13W3 Female

.XX ±0.13 .XXX ±0.05




36W4 Female




13W3 Male



36W4 Male








13W6 Male




43W2 Male






17W5 Female




43W2 Female

47W1 Female





17W5 Male


COMPLIANT



47W1 Male







|  | COMBINATION D-SUB  |  | SW REFERENCE NO.: 628 COMBO ASSEMBLY |                  |       |
|--|--|--|--------------------------------------|------------------|-------|
|  |  |  | DRAWN: C.B                           | DATE: JAN. 01/20 | )19   |
|  |  |  | CHECKED:                             | DATE:            |       |
| THIS SERIES FULLY CONFORMS TO                                    | EDAC INC<br>TORONTO, ONTARIO<br>CANADA<br>YOUR CONNECTION TO QUALITY & SERVICE | THESE DRAWINGS AND SPECIFICATIONS<br>ARE THE PROPERTY OF EDAC INC.,AND<br>SHALL NOT BE REPRODUCED,OR COPIED<br>OR USED AS THE BASIS FOR THE<br>MANUFACTURE OR SALE OF APPARATUS<br>WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S                         | SHEET 4 OF       | 4     |
| THE EUROPEAN UNION DIRECTIVES<br>2011/65/EU FOR R₀HS COMPLIANCY. |  |  | DRAWING NUMBER: 628-3W3-224-5TA      |                  | ISSUE |
|  |  |  | PART NUMBER: 628-3W3                 | -224-5TA         | 1     |