
THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

(1)

ORIGINAL





NOTES:

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING




.X ±0.25 .XX ±0.13

.XXX ±0.05

O O

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




				SW REFERENCE NO.: 630 COMBO ASSEMBLY				
				DRAWN: C.B		DATE: JAN. 01/2019		19
				CHECKED:		DATE:		
		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.	D. 1:1)	SHEET 1	OF	4
		TORONTO, ONTARIO CANADA O QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-21W4		4240-3N5 IS		ISSUE
YOU	YOUR CONNECTION TO			PART NUMBER:	630-21W	4240-3N5		1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

** Q Q	





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

11W1 Male/Female

24W7 Male/Female

21W4 Male/Female

27W2 Male/Female

21W1 Male/Female



ISSUE NUMBER

 $\overline{(1)}$

5W5 Male




PCB EDGE

8W8 Male



PCB EDGE



POB EDGE


2.77 PCB EDGE

22.70

2.77


PCB EDGE

5W5 Female




8W8 Female






17W2 Male/Female



21.61 PCB EDGE

	COMBINATION D-SUB			SW REFERENCE NO.: 630 COMBO ASSEMBLY				
COMBINATION				DATE: JAN. 01/2019				
			CHECKED:		DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S		SHEET 3 OF	= 4			
TORONTO, ONTARIO CANADA		DRAWING NUMBER: 630-21W4240-3N5		ISSUE				
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER:	630-21W4	1240-3N5	1			

CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male







24.77

PCB EDGE

13W3 Female



36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

.X ±0.25 .XX ±0.13 .XXX ±0.05

43W2 Female




17W5 Male











COMPLIANT




20.70

13.72

PCB EDGE



31.75



		SW REFERENCE NO.: 630 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 630-21W	4240-3N5	ISSUE
			PART NUMBER: 630-21W	1	