
I	۵	н <b>т</b>	m	0







Keying Shown as example

## CHARACTERISTICS

BASIC SERIES:

SHELL TYPE : Square Flange Receptacle


ယ

-Standard : Based on MIL-DTL-38999 Series III


	-Shell Material	: Aluminium
	-Shell Plating	: Nickel
	-Insulator	: Thermoplastic
	-Contacts	: Copper Alloy
	-Seals & Grommet	: Silicon Elastomer
$\sim$	-Contact Plating	: Gold over copper Alloy 0.8µm minimum
	-Durability	: 500 Mating cycles
	-Delivered with Souria	u contacts and Accessories
	-Temperature Range	: -65°C to +200°C
	-Salt Spray	: 48 hours
	-Mass	: 16.46 g ± 10%

Dim	Nominal
Р	3.25±0.2
PP	4.93±0.2
R1	23.01
R2	20.62
S	28.6±0.3
V	20.83+0/-1.25
W	2.1/2.5
Z	31.5 Max
VV THREAD	M18x1-6g

Е



D



8D 0

13

F

26

А

Ν

0		Ξ		A		
						4
LAY	OUT SHOWN AS EXA	MPLE				3
SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.) Country Jurisdiction & Control List FR Not Listed PN: 8D013F26AN						2
rst Release						-
Latest modificatio	n - by				MOD N°	
Date:	- 1		CUSTOMER	DRAWING		1
Aluminium Receptacle 8D series						
$] \bigoplus$	General linear Tolerances: ±	NPRDS / PROJECT <b>859</b>				1
WWW.SOURIAU.COM This document is the property of SOURIAU   it must not be reproduced or communicated without permission						
SOURIAU DRG N°   SHEET     8D013F26AN-C   1/2						
С		В		А		L

-	Ŧ	۵	п –	m		0
		Contact Layout				Panel Cutou
4		26			≈ –	SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING
		2#12 6#22D			W	
ω	Ctc A B C D E F 1 2	X Y   0 3.47   2.47 4.34   2.47 -4.34   0 -3.47   -2.47 -4.34   -2.47 -4.34   3.25 0   -3.25 0				Dim ØA ØAA R1 ØT
	F				[	SOURIAU shall not be liable for any
						due to a use of the Products wh the Specifications issued by either of (professional recommendat
N						PN: 8D013F
					A 14-10-20 ISS DATE Designed By:	16 First Release Latest modification - by Date:
					TITLE	Aluminium
<b>_</b>					SCALE NA	General linear Tolerances: ±
					SOURIA	U WWW.SOURIAU.C
					FORMAT A3	SOURIAU 8D013F2
	Н	G	F	E	D	C

