

RAD-CON-SMA-N-SS

Order No.: 2867403



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2867403>

Adapter cable, pigtail 120 cm SMA(m) -> N(m)

Commercial data

GTIN (EAN)	 4 017918 931810
Note	Made-to-order
sales group	H178
Pack	1 pcs.
Customs tariff	85442000
Catalog page information	Page 647 (IF-2009)

Product notesWEEE/RoHS-compliant since:
07/01/2006

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General**

Connection 1	Plug connector connection
Type of connection	Type SMA (male)
Connection 2	Plug connector connection
Type of connection	Type N (female)
Fixed cable length	1.2 m

Cable type	RG 316
Cable, attenuation	0.89 dB/m
Minimum bending radius	25.40 mm
External diameter	2.50 mm
Outer sheath, material	Fluorinated ethylene propylene (FEP)
Connection name	Plug connector connection
Type of connection	Type SMA (male)
Ambient temperature (operation)	-40 °C ... 75 °C

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;