



(1)





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


.X ±0.25 .XX ±0.13

.XXX ±0.05

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




				SW REFERENCE NO.: 630 COMBO ASSEMBLY		
COMBINAT	COMBINATION D-SUB		DATE: JAN. 01/20	19		
			DATE:			
	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 630-2WK2240-3N6		ISSUE		
YOUR CONNECTION TO QUALITY & SERVIC	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 630-2WK	2240-3N6	1		





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female



21W4 Male/Female



ISSUE NUMBER

(1)

ORIGINAL

5W5 Male



PCB EDGE

8W8 Male



PCB EDGE




2.77

PCB EDGE

27W2 Male/Female

5W5 Female

COMPLIANT



THIS SERIES FULLY CONFORMS TO

THE EUROPEAN UNION DIRECTIVES

2011/65/EU FOR RoHS COMPLIANCY.

8W8 Female




PCB EDGE

22.70 2.77 PCB EDGE

21W1 Male/Female





CURRENT RATING / ØA
10A / 2.2
20A / 3.3
30A / 3.7
40A / 4.2





OR USED AS THE BASIS FOR THE

WITHOUT WRITTEN PERMISSION.









11W1 Male/Female

17W2 Male/Female

COMBINATION D-SUB

EDAC INC

TORONTO, ONTARIO

CANADA


YOUR CONNECTION TO QUALITY & SERVICE

PCB EDGE

TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male






 .X
 ±0.25

 .XX
 ±0.13


 .XXX
 ±0.05

9W4 Female



31.75

36W4 Female



13W6 Male





22.18

2.77

20.78

20.70

13.72

PCB EDGE

13W6 Female

43W2 Female



17W5 Male










PCB EDGE

24.77











THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	COMBINATION	D-SUB
YOUR CONNECTION TO	EDAC INC TORONTO, ONTARIO CANADA D QUALITY & SERVICE	THESE DRAW ARE THE PRO SHALL NOT E OR USED AS MANUFACTU WITHOUT WE

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

+	61.00			
3	0.50	22.16	+	
	20.70	20.78		湖
∢			A 100	귀품
9 0 -	+++++++++++++++++++++++++++++++++++++++	+ + + + + + + + + + + + + + + + + + + +	i de la companya de l	
a - + + + + +	++++++++++ 2.77	• • • • • • • •	2.0	
	<u></u>		Y.	a
	PCB ED	GE		+
	<u>)</u> . 630	COMBO AS	SSEMBLY	

SW REFERENCE NO.: 630 COMBO ASSEMBLY		
DRAWN: C.B	DATE: JAN. 01/2019	
CHECKED:	DATE:	
SCALE: N.T.S	SHEET 4 OF 4	
DRAWING NUMBER: 630-2WK	2240-3N6 ISSUE	
PART NUMBER: 630-2WK	2240-3N6 ¹	