GlobTek, Inc.	Drawing Title: SJT 16/2,105C,BLACK BULK CABLE	
www.globtek.com	Model No. Power Cord	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. H-137	Rev B1
Fax (201) 784-0111		

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at http://www.globtek.com/iso-certificates/

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek TERMS AND CONDITIONS (attached to the end of this document), which supersede all other agreements, terms, and conditions ( <a href="http://en.globtek.com/terms-and-conditions/">http://en.globtek.com/terms-and-conditions/</a>).

Prop 65 Statement: <a href="https://en.globtek.com/prop-65-statement.pdf">https://en.globtek.com/prop-65-statement.pdf</a>

## Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

## Limitation of Use:

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.

Contents of this document are subject to change without prior notice.

**Customer Approval of Specification:** 

Please approve, sign and send back to GlobTek so we can complete order processing.

A delay in receipt of this form will delay delivery schedule.

Company Name:	Customer P/N:
Quote Number:	Date:
Authorized Representative Name:	Authorized Representative Signature:


GlobTek, Inc.	Drawing Title: SJT 16/2,105C,BLACK BULK CABLE	
www.globtek.com	Model No. Power Cord	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. H-137	Rev B1
Fax (201) 784-0111		

## **REVISION HISTORY**

REV	DESCRIPTION	SUB	DATE	APPROVED
B1	Change packing to 500 meter on a roll with UOM: 1m	dhock	05/26/2023	QA
В	Update Unit of measure: 1.0m, packed on a roll to 500 feet, packed on a roll	QA	04/19/2023	QA
Α	Initial release	QA	11/21/2022	QA

AGENCY ONLINE DOCUMENTS	http://en.globtek.com/cordsets/
RoHS/RoHS3 Declaration	https://www.globtek.com/pdf/rohs_cert/01t30000002p8yGAAQ
REACH Declaration	https://www.globtek.com/pdf/iso_certificates/REACH.pdf
Conflict Minerals Declaration	https://www.globtek.com/pdf/conflict-minerals.pdf
Prop 65 Statement	https://en.globtek.com/prop-65-statement.pdf

IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. 2 conductor round wire





Conductor construction: 26/0.254±0.008 Insulation outer diameter:Ø3.05±0.1 Insulation Thickness:Minimum 0.69 mm: Coated outer diameter:Ø7.8 ± 0.2 Coating Thickness:Minimum 0.61mm

Conductor: Bare Copper;

Cover: PVC SJT 16AWG\*2C 105°C, core wire color: black, white, sheath: black, ringarranty material

Printed on the wire is: (UL) Exxxxxx SJT 105°C 2X16AWG (1.31mm2) 300V VW-1 yyyyyyy CSA zzzzzzz TYPE

SJT 105°C 2X1.31mm2(16AWG) 300V VW-1

xxxxxx = UL FIIe #, YYYYYY MFG Name GlobTek or other, zzzzzz = CSA or cUL file number

Color: Black

## Packing:

500 meters on a roll

UOM = 1m

GlobTek, Inc.	Drawing Title: SJT 16/2,105C,BLACK BULK CABLE	
www.globtek.com	Model No. Power Cord	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. H-137	Rev B1
Fax (201) 784-0111		

PACKAGING		
Packing Spec P/N:		
Box Qty:	1	
Gift Box Size (mm):		
Gift Box Color:	White	
Master Carton Size (mm):	TBD	
Master Carton Cubic Volume (m³):	0.00	
Master GW (Kg):	kg	
wt Ea. (Kg):	kg	
wt Ea. (Kg):	kg	
LABEL SPECS: ,		
PACK SPEC:		