© Copyright 2005. IPC, Bannoc	Convright 2005 IPC Bannockhurn Illinois All rights reserved under both				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
1752-21.1 IPC Web Site for Information o. http://www.ipc.org/IPC-175x	.1 IPC Web Site for Information on IPC-1752 Standard Form Ty Distribution Distribut				 Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials 				als and M	ls and Mfg Information			
Supplier Information													
Company name* Company unique ID				Unique ID Authority					Response Date*				
onsemi									2023-06-08				
Contact Name	Title - Contact				Phone - Contact*				Email - Contact*				
Product-Env-Stewards	Env-Stewards Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com					
Authorized Representative* Title - Representative				Phone - Representative*				Email - Representative*					
Product-Env-Stewards Product Enviro Comp			Compliance N/			NA			Product-Env-Stewards@onsemi.com				
Requester Item Number Mfr Ite	m Number	Mfr Item Name			Effective Date	Version	М	Manufacturing Site		Weight*	UOM	Unit Type	
BSR5	3 TO-236AB N-CHA		ANNEL JFET		2023-06-08	CN1		:	8.706	mg	Each		
Manufacturing Proccess Information							-						
Terminal Plating / Grid Array Material	I Terminal Base Alloy		-STD-020 MSL	Rating	Peak Proce	ess Body Te	mperature	e Max Time at Peak	Temperat	ure Numb	per of Reflow Cyc	les	
Matte Tin (Sn) - annealed CU Alloy 1					260		С	30	secon	ids 3			
Comments													
evel 1 - maximum time at peak temperature during	oldering is 10-3	0 seconds											
For more information regarding material composition	n please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl bithalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.048	mg	Supplier	Silicon (Si)	7440-21-3		0.048	mg	
Lead Frame	2.371	mg	Supplier	Silver (Ag)	7440-22-4		0.008	mg	
			Supplier	Manganese (Mn)	7439-96-5		0.019	mg	
			Supplier	Silicon (Si)	7440-21-3		0.007	mg	
			В	Nickel (Ni)	7440-02-0		0.995	mg	
			Supplier	Iron (Fe)	7439-89-6		1.342	mg	
Mold Compound-Black	6.061	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		1.21	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.061	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		4.79	mg	
Plating	0.206	mg	Supplier	Tin (Sn)	7440-31-5		0.206	mg	
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg	