ASSOCIATION CONN	© Copyright 2005. IP	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typhttp://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					Materials an	ials and Mfg Information				
upplier Inf	formation															
Company name* Com				Company unique ID			Unique ID Authority					Response Date*				
nsemi											2023	2023-06-08				
Contact Name		Title - Contact			I	Phone - Contact*				Ema	Email - Contact*					
Product-Env-S	Stewards	Product Enviro Compliance]	NA				Pro	Product-Env-Stewards@onsemi.com					
authorized Rep	presentative*	Title - Representative			Phone - Representative*				Ema	Email - Representative*						
Product-Env-S	Stewards	Product Enviro Compliance			NA				Pro	Product-Env-Stewards@onsemi.com						
Req	quester Item Number	ester Item Number Mfr Iter		tem Number Mfr Item Name				e Version Ma		fanufacturing Site		Wei	ght*	UOM	Unit Type	
		NCP115AMX120TCG 300 mA CMOS L			Low Dropout Regula	tor 1V2	2023-06-08	PHM				1.424 mg		mg	Each	
Ianufactur	ring Proccess Informati	on														
Term	ninal Plating / Grid Array Mat	Plating / Grid Array Material		Terminal Base Alloy J		J-STD-020 MSL Rating		Peak Process Body Temper		are Max Time at Peak Temp		erature	ure Number of Reflow Cycles		cles	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		lAu) (no	CU Alloy		1		260		C	30	S	econds	3			
Comments									<u> </u>	<u> </u>				<u> </u>		
vel 1 - maxim	um time at peak temperatur	e during so	oldering is 10-3	0 seconds												
or more infor	mation regarding material c	omposition	please refer to	page 3												

RoHS Material Composition Declaration			Declaration Type *	Detail	ed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		ium (Cr6+), Polybrominated Biphenyls (PB)	erial for Cadmium and quantity limit of 0.1% b B), Polybrominated Diphenyl Ethers (PBDE), a						
cadmium, hexavalentchromium, polybromin contains a RoHS restricted substance inexce encompass all such components. Supplier cet as of the date that Supplier completes this Company acknowledges that Supplier may hindependently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated diphess of an applicable quantity limit, please indriffes that it gathered the information it provom. Supplier acknowledges that Company wave relied on informationprovided by others of the supplier agrees that, at a minimuly and the Supplier enter into a written agree yesource of the Supplier's liability and the C	enyl ethers (each a "RoHS restricted substan licate below which, if any, RoHS exemption vides in this form using appropriate methods vill rely on this certification in determining the s in completing this form, and that Supplier um, itssuppliers have provided certifications ement with respect to the identified part, the tompany's remedies for issues that arise rega	s of the European Union member states) of the ce") in excess of the applicable quantity limit is you believe may apply. If the part is an assemb to ensure its accuracy and that such informatio e compliance of its products with European Ur may not have independently verified such infor regarding their contributions to the part, and the erms and conditions of that agreement, including information the Supplier provides in this	dentified above. If a ally with lower level in is true and correct tion member state la mation. However, in ose certifications are ag any warranty righ	homogeneous material within the part components, the declaration shall to the best of its knowledge and belief, was that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the lats and/or remedies provided as part of				
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substar	nces per the definition above	Supplier A	cceptance *	Accepted				
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.									
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
		e "Accepted" on the Supplier Acceptance	drop-down. This will display the signature a	rea. Digitally sign t	the declaration (if required by the				

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.09	mg	Supplier	Silicon (Si)	7440-21-3		0.09	mg	
Die Attach	0.13	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.0416	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0884	mg	
Lead Frame	0.58	mg	Supplier	Tin (Sn)	7440-31-5		0.0014	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0013	mg	
			Supplier	Chromium (Cr)	7440-47-3		0.0014	mg	
			Supplier	Copper (Cu)	7440-50-8		0.5758	mg	
Mold Compound-Black	0.6	mg	Supplier	Epoxy and Phenolic Resin	40216-08-8		0.048	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.003	mg	
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.012	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		0.519	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.018	mg	
Plating	0.004	mg	Supplier	Palladium (Pd)	7440-05-3		0.0001	mg	
			В	Nickel (Ni)	7440-02-0		0.0035	mg	
			Supplier	Gold (Au)	7440-57-5		0.0004	mg	
Wire Bond	0.02	mg	Supplier	Palladium (Pd)	7440-05-3		0.0002	mg	
			Supplier	Copper (Cu)	7440-50-8		0.0198	mg	