

Protect It! 230V Surge Protector with 8 French/Belgian Outlets, French Plug, 1140 Joules, Tel/Coax Protection

MODEL NUMBER: TLP82MASF



Description

Tripp Lite's Protect It!™ TLP82MASF offers economical AC surge suppression for full protection of 220-250V home computers, printers, scanners, and desk lamps. The TLP82MASF offers 8 French type E outlets and a 2 meter AC line cord. Internal safety covers protect against accidental contact with unused outlets.

Features

- Protect It!™ TLP82MASF offers economical AC surge suppression
- 1140 joules AC surge suppression shields equipment from surges and line noise
- 8 French outlets protects computers and peripherals
- 2 m cord with French plug
- Lighted ON/OFF switch with circuit breaker
- Network Protection
- Coax Protection
- Aerial Adapters
- Energy saving master/subordinate outlet array
- Internal safety covers protect against accidental contact with unused outlets

Specifications

| OVERVIEW | |
|----------|--------------|
| UPC Code | 037332145383 |

Highlights

- 8 safety outlets
- 2 m cord
- Network protection
- 1 Line coax protection
- Protected/Grounded LED's
- 1140 joule rating
- Energy saving master/subordinate outlet array

Package Includes

- TLP82MASF surge suppressor
- 1.8 m aerial cable and 2 aerial adapters
- 1.8 m gold coax cable
- 1.8 m network cable
- Instruction manual and warranty information



| INPUT | |
|--|--------------------|
| Nominal Input Voltage(s) Supported | 230V AC |
| Recommended Electrical Service | 230V (220-250V) |
| Maximum Input Amps | 10 |
| Voltage Compatibility (VAC) | 220-250 |
| Input Plug Type | French |
| Input Cord Length (ft.) | 6 |
| Right-Angle Plug | Yes |
| Input Cord Length (m) | 1.83 |
| Integrated Cord Clip | No |
| OUTPUT | |
| Output (Watts) | 2500 |
| Output Receptacles | (8) French/Belgian |
| Circuit Breaker (amps) | 10 |
| Transformer Accommodation | (5) Yes |
| USER INTERFACE, ALERTS & CONTROLS | |
| Diagnostic LED(s) | Yes |
| Diagnostic LED Details | Protected/Grounded |
| SURGE / NOISE SUPPRESSION | |
| AC Suppression Joule Rating | 1140 |
| Automatic Shut-Off | No |
| DATALINE SURGE SUPPRESSION | |
| Telephone/DSL Protection | Yes |
| Cable (Coax) Protection | Yes |
| Cable (Coax) Protection Details | 1 line |
| Network (Ethernet) Protection | Yes |
| Network (Ethernet) Protection Details | 1 line |
| PHYSICAL | |
| Color | Black |
| Antimicrobial Coating | No |
| Power Cord Color | Black |



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

| | |
|-------------------------------------|---------------------------|
| Housing Color | Black |
| Integrated Keyhole Mounting Slots | No |
| Receptacle Color | Black |
| Shipping Dimensions (hwd / cm) | 37.59 x 19.00 x 5.51 |
| Shipping Dimensions (hwd / in.) | 14.80 x 7.48 x 2.17 |
| Shipping Weight (kg) | 1.04 |
| Shipping Weight (lbs.) | 2.30 |
| Unit Dimensions (hwd / cm) | 31.60 x 11.71 x 4.90 |
| Unit Dimensions (hwd / in.) | 12.44 x 4.61 x 1.93 |
| Unit Weight (kg) | 0.95 |
| Unit Weight (lbs.) | 2.1 |
| SPECIAL FEATURES | |
| Rotatable Outlets | No |
| WARRANTY | |
| Product Warranty Period (Worldwide) | Lifetime limited warranty |

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>