

TE Internal #: 6-2371900-8

PCI & PCI Express Connectors, Board-to-Board, 164 Position, .04 in


[1 mm] Centerline, Vertical, Blue, Height .44 in [11.25 mm], Width .

29 in [7.4 mm]

View on TE.com >



Connectors > PCB Connectors > Card Edge Connectors > PCI & PCI Express Connectors



Connector System: Board-to-Board

Number of Positions: 164

PCI Generation: 5

Centerline (Pitch): 1 mm [.04 in]

Termination Post & Tail Length: .7 mm [.028 in]

Termination Method to Printed Circuit Board

Features

Product Type Features

Connector System	Board-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	164
PCB Mount Orientation	Vertical
Ejector	Without
Body Features	
Primary Product Color	Blue
Contact Features	
	30 μin
Contact Current Rating (Max)	1.1 A
Termination Features	

Surface Mount



Termination Post & Tail Length	.7 mm[.028 in]
Mechanical Attachment	
PCB Mount Retention Type	Tab
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	1 mm[.04 in]
Dimensions	
Connector Height	11.25 mm[.44 in]
Connector Width	7.4 mm[.29 in]
Usage Conditions	
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Operation/Application	

High Speed Data

5

Product Compliance

Circuit Application

Industry Standards

PCI Generation

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

PCI & PCI Express Connectors, Board-to-Board, 164 Position, .04 in [1 mm] Centerline, Vertical, Blue, Height .44 in [11.25 mm], Width .29 in [7.4 mm]



will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



TE Part #1892801-4 MBXL VERT HDR 16S+2p



TE Part #1-2359992-7 Low Profile Slimline SAS 8X V/T REC



TE Part #2322124-9
MBXL VERT HDR STR 7ACP,HF





TE Part #4-2364427-7
PCIE GEN5 CON,SMT,98P,15u",F-MYLAR,HT



TE Part #4-2364427-8
PCIE GEN5 CON,SMT,164P,15u Au,
MYLAR,HT

TE Part #7-2204746-8
ELCON MICRO,HEADER,VERTICAL
SMT,16P

TE Part #7-2204747-8 ELCON MICRO,HEADER,R/A SMT,16P

TE Part #2327671-8
RECEPT ASSY, RA, 84 POS, SLIVER 2.0

TE Part #5-2327677-3
RECEPT ASSY, 140 POS, VERT, SLIVER
2.0

Documents

Product Drawings



PCIE G5 CONN,164P,ASSY,30",SLIM,NO RIDGE

English

CAD Files

Customer View Model

ENG_CVM_CVM_6-2371900-8_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_6-2371900-8_A.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_6-2371900-8_A.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English